

Mouse TCEA3 Monoclonal Antibody | anti-TCEA3 antibody

TCEA3 (Transcription Elongation Factor A (SII), 3, TFIIS, TFIIS.H) (FITC)

CATALOG # AAA26342	HOST Mouse	APPLICATIONS Immunofluorescence, Immunohistochemistry, Western Blot
------------------------------	----------------------	---


PRODUCT SYNONYMS

TCEA3; Monoclonal Antibody; TCEA3 (Transcription Elongation Factor A (SII); 3; TFIIS; TFIIS.H) (FITC); Transcription Elongation Factor A (SII); TFIIS.H; anti-TCEA3 antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Clonality	Monoclonal
Isotype	IgG1,k
Clone Number	4.0e+11
Specificity	Recognizes TCEA3.
Purity/Purification	Purified
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Fluorescein isothiocyanate (FITC).
Sequence Length	348
Applicable Applications for anti-TCEA3 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Application Notes	Applications are based on unconjugated antibody.
Immunogen	TCEA3 (AAH41613, 1aa-348aa) full-length recombinant protein with GST tag. MW of the GST tag alone is 26kD.
Immunogen Sequence	MGQEEELLRIAKKLEKMVARKNTEGALDLLKKLHSCQMSIQLLTTRIGVAVNGVRKHCSDEKVS LAKVLIKNWKRLD SPGPPKGEKGEEREKAKKKE
Conjugate	FITC
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. FITC conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.

IMAGES



Application Data

Detection limit for recombinant GST tagged TCEA3 is approximately 0.03ng/ml as a capture antibody.




WB (Western Blot)


TCEA3 monoclonal antibody (M08), clone 4E11 Western Blot analysis of TCEA3 expression in HepG2 (Cat # L019V1).

**IF (Immunofluorescence)**

Immunofluorescence of monoclonal antibody to TCEA3 on HepG2 cell. [antibody concentration 10 ug/ml]

**IHC (Immunohistochemistry)**

Immunoperoxidase of monoclonal antibody to TCEA3 on formalin-fixed paraffin-embedded human salivary gland. [antibody concentration 3 ug/ml]

**IF (Immunofluorescence)**

Immunofluorescence of monoclonal antibody to TCEA3 on HepG2 cell. [antibody concentration 10 ug/ml]

**Application Data**

Immunoperoxidase of monoclonal antibody to TCEA3 on formalin-fixed paraffin-embedded human salivary gland. [antibody concentration 3 ug/ml]

ADDITIONAL INFORMATION

Related Product Information for anti-TCEA3 antibody	Mouse monoclonal antibody raised against a full length recombinant TCEA3.
Product Categories/Family for anti-TCEA3 antibody	Antibodies ; Transcription Factors

NCBI AND UNIPROT INFORMATION

NCBI GI #	27469901
NCBI Official Full Name	Transcription elongation factor A (SII), 3

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/tcea3-antibody-clone-4-0e-11-immunofluorescence-immunohistochemistry-western-blot-elisa/26342>