

Rabbit TSG101 Polyclonal Antibody | anti-TSG101 antibody

Anti-TSG101 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA263910	Rabbit	Human, Mouse, Rat	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

TSG101; Polyclonal Antibody; Anti-TSG101 Antibody; Tumor susceptibility gene 101 protein; ESCRT-I complex subunit TSG101; anti-TSG101 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of TSG101 protein.
Purity/Purification	Purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium Phosphate, 0.87% Sodium Chloride, pH 7.3, 30% Glycerol, and 0.01% Sodium Azide.
Sequence Length	390
Applicable Applications for anti-TSG101 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human TSG101.
Preparation and Storage	Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of TSG101 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with Alexa Fluor 647-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of TSG101 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of TSG101 expression in Hela (A), mouse brain (B), rat brain (C), PC3 (D), HEK293T (E) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-TSG101 antibody

Rabbit polyclonal antibody to TSG101

NCBI AND UNIPROT INFORMATION

NCBI GI #	5454140
NCBI GeneID	7251
NCBI Accession #	NP_006283.1
NCBI GenBank Nucleotide #	NM_006292.3
UniProt Accession #	Q99816; Q9BUM5
Molecular Weight	31,732 Da
NCBI Official Full Name	tumor susceptibility gene 101 protein
NCBI Official Synonym Full Names	tumor susceptibility 101
NCBI Official Symbol	TSG101
NCBI Official Synonym Symbols	TSG10; VPS23
NCBI Protein Information	tumor susceptibility gene 101 protein
UniProt Protein Name	Tumor susceptibility gene 101 protein
UniProt Gene Name	TSG101

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/tsg101-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/263910>