

Rabbit SKAP2 Polyclonal Antibody | anti-SKAP2 antibody

Anti-SKAP2 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA264621	Rabbit	Human, Mouse, Rat	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

SKAP2; Polyclonal Antibody; Anti-SKAP2 Antibody; PRAP; RA70; SAPS; SCAP2; SKAP55R; Src kinase-associated phosphoprotein 2; Pyk2/RAFTK-associated protein; Retinoic acid-induced protein 70; SKAP55 homolog; SKAP-55HOM; SKAP-HOM; Src family-associated phosphoprotein 2; Src kinase-associated phosphoprotein 55-related protein; Src-associated adapter protein with PH and SH3 domains; anti-SKAP2 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of SKAP2 protein.
Purity/Purification	Purified by Immunogen Affinity Chromatography
Form/Format	Liquid in 0.42% Potassium Phosphate, 0.87% Sodium Chloride, pH 7.3, 30% Glycerol, and 0.01% Sodium Azide.
Applicable Applications for anti-SKAP2 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein of human SKAP2. The exact sequence is proprietary.
Preparation and Storage	Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of SKAP2 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 degree C in a humidified chamber. Cells were washed with PBST and incubated with a Alexa Fluor 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of SKAP2 staining in mouse stomach formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of SKAP2 expression in mouse lung (A) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-SKAP2 antibody	Rabbit polyclonal antibody to SKAP2
---	-------------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	16753212
NCBI GeneID	8935
NCBI Accession #	NP_003921
NCBI GenBank Nucleotide #	NM_003930
UniProt Accession #	O75563; Q3UND0; Q920G0
Molecular Weight	41,217 Da
NCBI Official Full Name	src kinase-associated phosphoprotein 2 isoform 1
NCBI Official Synonym Full Names	src kinase associated phosphoprotein 2
NCBI Official Symbol	SKAP2
NCBI Official Synonym Symbols	PRAP; RA70; SAPS; SCAP2; SKAP55R; SKAP-HOM
NCBI Protein Information	src kinase-associated phosphoprotein 2; Fyn-associated phosphoprotein SKAP55 homologue; Pyk2/RAFTK-associated protein; SKAP-55HOM; retinoic acid-induced protein 70; src family-associated phosphoprotein 2; src kinase-associated phosphoprotein of 55-related
UniProt Protein Name	Src kinase-associated phosphoprotein 2
UniProt Gene Name	SKAP2
UniProt Synonym Gene Names	PRAP; RA70; SAPS; SCAP2; SKAP55R; SKAP-55HOM; SKAP-HOM
UniProt Entry Name	SKAP2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/skap2-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/264621>