

Mouse anti-Human GFAP Monoclonal Antibody | anti-GFAP antibody

Anti-GFAP Antibody

CATALOG # AAA264833	HOST Mouse	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	----------------------	----------------------------	---


PRODUCT SYNONYMS

GFAP; Monoclonal Antibody; Anti-GFAP Antibody; Glial fibrillary acidic protein; anti-GFAP antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	Mouse IgG1
Specificity	Recognizes endogenous levels of GFAP protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in PBS containing 50% glycerol, 0.2% BSA and 0.01% sodium azide.
Applicable Applications for anti-GFAP antibody	IHC (Immunohistochemistry)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within human GFAP. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IP (Immunoprecipitation)

Immunohistochemical analysis of GFAP staining in human glioma formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



IF (Immunofluorescence)

Immunohistochemical analysis of GFAP staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



IHC (Immunohistochemistry)

Immunohistochemical analysis of GFAP staining in human astrocytoma formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

ADDITIONAL INFORMATION

Related Product Information for anti-GFAP antibody	Mouse monoclonal antibody to GFAP
--	-----------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	196115290
NCBI GeneID	2670
NCBI Accession #	NP_001124491.1
NCBI GenBank Nucleotide #	NM_001131019.2
UniProt Accession #	P14136; Q53H98; Q5D055; Q6ZQS3; Q7Z5J6; Q7Z5J7; Q96KS4; Q96P18; Q9UFD0; B2RD44; D3DX59
Molecular Weight	49,880 Da
NCBI Official Full Name	glial fibrillary acidic protein isoform 2
NCBI Official Synonym Full Names	glial fibrillary acidic protein
NCBI Official Symbol	GFAP
NCBI Protein Information	glial fibrillary acidic protein
UniProt Protein Name	Glial fibrillary acidic protein
UniProt Gene Name	GFAP
UniProt Synonym Gene Names	GFAP
UniProt Entry Name	GFAP_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/gfap-antibody-immunohistochemistry-elisa/264833>