

Mouse anti-Human TMPase Monoclonal Antibody | anti-ACPP antibody

Anti-TMPase Antibody

CATALOG # AAA264892	HOST Mouse	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	----------------------	----------------------------	---


PRODUCT SYNONYMS

TMPase; Monoclonal Antibody; Anti-TMPase Antibody; Prostatic acid phosphatase; PAP; 5'-nucleotidase; 5'-NT; Ecto-5'-nucleotidase; Thiamine monophosphatase; anti-ACPP antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	Mouse IgG1
Specificity	Recognizes endogenous levels of TMPase protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in PBS containing 50% glycerol, 0.2% BSA and 0.01% sodium azide.
Applicable Applications for anti-ACPP antibody	IHC (Immunohistochemistry)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within human TMPase. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IP (Immunoprecipitation)

Immunohistochemical analysis of TMPase staining in human prostatic carcinoma formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



IF (Immunofluorescence)

Immunohistochemical analysis of TMPase staining in human prostate formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



IHC (Immunohistochemistry)

Immunohistochemical analysis of TMPase staining in human benign prostatic hyperplasia formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

ADDITIONAL INFORMATION

Related Product Information for anti-ACPP antibody	Mouse monoclonal antibody to TMPase
--	-------------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	130730
NCBI GeneID	55
UniProt Accession #	P15309; Q5FBY0; Q96KY0; Q96QK9; Q96QM0; D3DNC6
Molecular Weight	386
NCBI Official Full Name	Prostatic acid phosphatase
NCBI Official Synonym Full Names	acid phosphatase, prostate
NCBI Official Symbol	ACPP
NCBI Official Synonym Symbols	ACP3; 5'-NT; ACP-3
NCBI Protein Information	prostatic acid phosphatase; TMPase; 5'-nucleotidase; ecto-5'-nucleotidase; thiamine monophosphatase; prostatic acid phosphotase
UniProt Protein Name	Prostatic acid phosphatase
UniProt Gene Name	ACPP
UniProt Synonym Gene Names	PAP; 5'-NT; TMPase
UniProt Entry Name	PPAP_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
 Online datasheet: <https://stage.aaabiotech.com/monoclonal/tmpase-antibody-immunohistochemistry-elisa/264892>