

Mouse anti-Human PGHS-2 Monoclonal Antibody | anti-PTGS2 antibody

Anti-PGHS-2 Antibody

CATALOG # AAA264973	HOST Mouse	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	----------------------	----------------------------	---


PRODUCT SYNONYMS

PGHS-2; Monoclonal Antibody; Anti-PGHS-2 Antibody; COX2; Prostaglandin G/H synthase 2; Cyclooxygenase-2; COX-2; PHS II; Prostaglandin H2 synthase 2; PGH synthase 2; Prostaglandin-endoperoxide synthase 2; anti-PTGS2 antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	Mouse IgG
Specificity	Recognizes endogenous levels of PGHS-2 protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in PBS containing 50% glycerol, 0.2% BSA and 0.01% sodium azide.
Applicable Applications for anti-PTGS2 antibody	IHC (Immunohistochemistry)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within human PGHS-2. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunohistochemical analysis of PGHS-2 staining in human colon carcinoma formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



IHC (Immunohistochemistry)

Immunohistochemical analysis of PGHS-2 staining in human colon carcinoma formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)
Western blot analysis of PGHS-2 expression in Hela (A), A549 (B) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-PTGS2 antibody	Mouse monoclonal antibody to PGHS-2
---	-------------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	4506265
NCBI GeneID	5743
NCBI Accession #	NP_000954.1
NCBI GenBank Nucleotide #	NM_000963.2
UniProt Accession #	P35354; Q16876; A8K802
Molecular Weight	68,996 Da
NCBI Official Full Name	prostaglandin G/H synthase 2
NCBI Official Synonym Full Names	prostaglandin-endoperoxide synthase 2 (prostaglandin G/H synthase and cyclooxygenase)
NCBI Official Symbol	PTGS2
NCBI Official Synonym Symbols	COX2; COX-2; PHS-2; PGG/HS; PGHS-2; hCox-2; GRIPGHS
NCBI Protein Information	prostaglandin G/H synthase 2; PHS II; PGH synthase 2; cyclooxygenase 2b; prostaglandin H2 synthase 2
UniProt Protein Name	Prostaglandin G/H synthase 2
UniProt Gene Name	PTGS2
UniProt Synonym Gene Names	COX2; COX-2; PGH synthase 2; PGHS-2
UniProt Entry Name	PGH2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.