

Mouse KLF10 Monoclonal Antibody | anti-KLF10 antibody

KLF10 (Kruppel-like Factor 10, EGRA, TIEG, TIEG1) (HRP)

CATALOG # AAA26531	HOST Mouse	APPLICATIONS ELISA, Western Blot
------------------------------	----------------------	--


PRODUCT SYNONYMS

KLF10; Monoclonal Antibody; KLF10 (Kruppel-like Factor 10; EGRA; TIEG; TIEG1) (HRP); Kruppel-like Factor 10; TIEG1; anti-KLF10 antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Clonality	Monoclonal
Isotype	IgG2a,k
Clone Number	1H3
Specificity	Recognizes KLF10.
Purity/Purification	Purified
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with horseradish peroxidase (HRP).
Sequence Length	469
Applicable Applications for anti-KLF10 antibody	ELISA, WB (Western Blot)
Application Notes	Applications are based on unconjugated antibody.
Immunogen	KLF10 (AAH11538.1, 111aa-210aa) partial recombinant protein with GST tag. MW of the GST tag alone is 26kD.
Immunogen Sequence	LSDTAKPHIAAPFKEEEKSPVSAPKLPKAQATSVIRHTADAQLCNHQTCPMKAASILNYQNNFRRRTHLNVEAARKNIPCAAVSPNRSKCERNTVADVD
Conjugate	HRP
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Note: Sodium azide is a potent inhibitor of peroxidase and should not be added to HRP conjugates. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.


IMAGES




WB (Western Blot)
KLF10 monoclonal antibody (M15), clone 1H3. Western Blot analysis of KLF10 expression in PC-12.




WB (Western Blot)
KLF10 monoclonal antibody (M15), clone 1H3. Western Blot analysis of KLF10 expression in NIH/3T3.




WB (Western Blot)
KLF10 monoclonal antibody (M15), clone 1H3. Western Blot analysis of KLF10 expression in Jurkat.



WB (Western Blot)
KLF10 monoclonal antibody (M15), clone 1H3. Western Blot analysis of KLF10 expression in A-549 (Cat # L025V1).



WB (Western Blot)
KLF10 monoclonal antibody (M15), clone 1H3. Western Blot analysis of KLF10 expression in human colon.



WB (Western Blot)
KLF10 monoclonal antibody (M15), clone 1H3. Western Blot analysis of KLF10 expression in Y-79 (Cat # L042V1).

ADDITIONAL INFORMATION

Product Categories/Family for anti-KLF10 antibody	Antibodies; Transcription Factors
---	-----------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	15079389
-----------	----------

NCBI GeneID	7071
NCBI Official Full Name	Kruppel-like factor 10
NCBI Official Synonym Full Names	Kruppel like factor 10
NCBI Official Symbol	KLF10
NCBI Official Synonym Symbols	EGRA; TIEG; TIEG1; EGR-alpha
NCBI Protein Information	Krueppel-like factor 10

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/klf10-antibody-clone-1h3-western-blot-elisa/26531>