

Rabbit anti-Human E Cadherin Monoclonal Antibody | anti-CDH1 antibody

Anti-E Cadherin Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA265593	Rabbit	Human	Immunoprecipitation, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

E Cadherin; Monoclonal Antibody; Anti-E Cadherin Antibody; anti-CDH1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Specificity	Recognizes endogenous levels of E Cadherin protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 50mM Tris-Glycine (pH7.4), 0.15M NaCl, 50% Glycerol, 0.01% Sodium azide and 0.05% BSA.
Applicable Applications for anti-CDH1 antibody	IP (Immunoprecipitation), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthetic peptide of human E Cadherin
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of E Cadherin staining in MCF7 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a AF488-conjugated secondary antibody (green) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of E Cadherin staining in human cholangiocarcinoma formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.36). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of E Cadherin expression in PC3 (A) whole cell lysates. (Predicted band size: 97 kD; Observed band size: 130 kD)

ADDITIONAL INFORMATION

Related Product Information for anti-CDH1 antibody	Rabbit monoclonal antibody to E Cadherin
--	--

Product Categories/Family for anti-
CDH1 antibody

Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	4757960
NCBI GeneID	999
NCBI Accession #	NP_004351.1
NCBI GenBank Nucleotide #	NM_004360.3
UniProt Accession #	P12830; Q13799; Q14216; Q15855; Q16194; Q4PJ14; A8K1U7
Molecular Weight	97,456 Da
NCBI Official Full Name	cadherin-1 preproprotein
NCBI Official Synonym Full Names	cadherin 1, type 1, E-cadherin (epithelial)
NCBI Official Symbol	CDH1
NCBI Official Synonym Symbols	UVO; CDHE; ECAD; LCAM; Arc-1; CD324
NCBI Protein Information	cadherin-1; CAM 120/80; E-Cadherin; uvomorulin; cell-CAM 120/80; epithelial cadherin; cadherin 1, E-cadherin (epithelial); calcium-dependent adhesion protein, epithelial
UniProt Protein Name	Cadherin-1
UniProt Gene Name	CDH1
UniProt Synonym Gene Names	CDHE; UVO; E-cadherin
UniProt Entry Name	CADH1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/e-cadherin-antibody-immunoprecipitation-immunofluorescence-immunohistochemistry-western-blot-elisa/265593>