

Rabbit STAT5B Monoclonal Antibody | anti-STAT5B antibody

Anti-STAT5B Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA265734	Rabbit	Human, Mouse, Rat	Immunoprecipitation, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

STAT5B; Monoclonal Antibody; Anti-STAT5B Antibody; anti-STAT5B antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Monoclonal
Specificity	Recognizes endogenous levels of STAT5B protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 50mM Tris-Glycine (pH7.4), 0.15M NaCl, 50% Glycerol, 0.01% Sodium azide and 0.05% BSA.
Applicable Applications for anti-STAT5B antibody	IP (Immunoprecipitation), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant protein of human STAT5b
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of STAT5B staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a AF488-conjugated secondary antibody (green) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of STAT5B staining in human breast carcinoma formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.25). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of STAT5B expression in Hela (A), A549 (B), HL60 (C), Raw264.7 (D), PC12 (E) whole cell lysates. (Predicted band size: 90 kD; Observed band size: 90 kD)

ADDITIONAL INFORMATION

Related Product Information for anti-STAT5B antibody	Rabbit monoclonal antibody to STAT5B
--	--------------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	21618344
NCBI GeneID	6777
NCBI Accession #	NP_036580.2
NCBI GenBank Nucleotide #	NM_012448.3
UniProt Accession #	P51692; P42232; P52632
Molecular Weight	89,866 Da
NCBI Official Full Name	signal transducer and activator of transcription 5B
NCBI Official Synonym Full Names	signal transducer and activator of transcription 5B
NCBI Official Symbol	STAT5B
NCBI Official Synonym Symbols	STAT5
NCBI Protein Information	signal transducer and activator of transcription 5B; transcription factor STAT5B
UniProt Protein Name	Signal transducer and activator of transcription 5B
UniProt Gene Name	STAT5B
UniProt Entry Name	STA5B_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/stat5b-antibody-immunoprecipitation-immunofluorescence-immunohistochemistry-western-blot-elisa/265734>