

Mouse anti-Human APE1 Monoclonal Antibody | anti-APE1 antibody

Anti-APE1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA266012	Mouse	Human	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

APE1; Monoclonal Antibody; Anti-APE1 Antibody; anti-APE1 antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	Mouse IgG1 kappa
Specificity	Recognizes endogenous levels of APE1 protein.
Purity/Purification	This antibody is purified through a protein G column.
Form/Format	Mouse IgG1 kappa. Liquid in PBS, pH7.3, 30% glycerol, and 0.01% sodium azide.
Applicable Applications for anti-APE1 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein of human APE1. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of APE1 staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a AF488-conjugated secondary antibody (green) in PBS at room temperature in the dark. Phalloidin - AF555 was used to stain Actin filaments (red). DAPI was used to stain the cell nuclei (blue).



IHC (Immunohistochemistry)

Immunohistochemical analysis of APE1 staining in human stomach formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of APE1 expression in A431 (A), HeLa (B), HepG2 (C), K562 (D), PC3 (E) whole cell lysates. (Predicted band size: 35 kD; Observed band size: 36 kD)

ADDITIONAL INFORMATION

Related Product Information for anti-APE1 antibody	Mouse monoclonal antibody to APE1
Product Categories/Family for anti-APE1 antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	346644849
NCBI GeneID	328
NCBI Accession #	NP_001231178.1
NCBI GenBank Nucleotide #	NM_001244249.1
UniProt Accession #	P27695; Q969L5; Q99775
Molecular Weight	35,555 Da
NCBI Official Full Name	DNA-(apurinic or apyrimidinic site) lyase
NCBI Official Synonym Full Names	APEX nuclease (multifunctional DNA repair enzyme) 1
NCBI Official Symbol	APEX1
NCBI Official Synonym Symbols	APE; APX; APE1; APEN; APEX; HAP1; REF1
NCBI Protein Information	DNA-(apurinic or apyrimidinic site) lyase; DNA-(apurinic or apyrimidinic site) lyase; AP lyase; protein REF-1; redox factor-1; AP endonuclease class I; apurinic-apyrimidinic endonuclease 1; apurinic/apyrimidinic (abasic) endonuclease; deoxyribonuclease (a
UniProt Protein Name	DNA-(apurinic or apyrimidinic site) lyase
UniProt Gene Name	APEX1
UniProt Synonym Gene Names	APE; APE1; APEX; APX; HAP1; REF1; APEN; AP endonuclease 1; APE-1
UniProt Entry Name	APEX1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/ape1-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/266012>