

Rabbit anti-Human TLL1 Polyclonal Antibody | anti-TLL1 antibody

TLL1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA26970	Rabbit	Human	ELISA, Immunohistochemistry, Immunofluorescence


PRODUCT SYNONYMS

TLL1; Polyclonal Antibody; TLL1 Antibody; Tolloid-like protein 1; TLL; anti-TLL1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Applicable Applications for anti-TLL1 antibody	ELISA, IHC (Immunohistochemistry), IF (Immunofluorescence)
Application Notes	IHC: 1:20-1:200 IF: 1:50-1:200
Immunogen	Recombinant Human Tolloid-like protein 1 protein (522-643AA)
Conjugate	Non-conjugated
Immunogen Species	Homo sapiens (Human)
Research Area	Signal Transduction
Target Names	TLL1
Preparation and Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.


IMAGES



IHC (Immunohistochemistry)
Immunofluorescent analysis of HeLa cells using AAA26970 at a dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded human testicular tissue using AAA26970 at dilution of 1:100



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded human prostate cancer tissue using AAA26970 at dilution of 1:100

NCBI AND UNIPROT INFORMATION

NCBI GI #	325652110
NCBI GeneID	7092
NCBI Accession #	NP_001191689.1
NCBI GenBank Nucleotide #	NM_001204760.1
UniProt Accession #	O43897; Q96AN3; Q9NQS4; B2RMU2
NCBI Official Full Name	tolloid-like protein 1 isoform 2
NCBI Official Synonym Full Names	tolloid like 1
NCBI Official Symbol	TLL1
NCBI Official Synonym Symbols	TLL; ASD6
NCBI Protein Information	tolloid-like protein 1
UniProt Protein Name	Tolloid-like protein 1
UniProt Gene Name	TLL1
UniProt Synonym Gene Names	TLL
UniProt Entry Name	TLL1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

