

Mouse CD14 Monoclonal Antibody | anti-CD14 antibody

CD14 Monoclonal Antibody

CATALOG # AAA27029	HOST Mouse	REACTIVITY Human, Mouse, Rat, Rabbit	APPLICATIONS ELISA, Western Blot, Immunohistochemistry, Immunofluorescence
------------------------------	----------------------	--	--

PRODUCT SYNONYMS

CD14; Monoclonal Antibody; CD14 Monoclonal Antibody; Monocyte differentiation antigen CD14 (Myeloid cell-specific leucine-rich glycoprotein) (CD antigen CD14) [Cleaved into: Monocyte differentiation antigen CD14; urinary form; Monocyte differentiation antigen CD14; membrane-bound form]; anti-CD14 antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human, Mouse, Rat, Rabbit
Clonality	Monoclonal
Isotype	IgG1
Purity/Purification	>95%, Protein A Purified
Form/Format	Liquid Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Applicable Applications for anti-CD14 antibody	ELISA, WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence)
Application Notes	WB: 1:1000-1:64000 IHC: 1:50-1:200 IF: 1:50-1:200
Immunogen	Recombinant Human Monocyte differentiation antigen CD14 protein (20-345AA)
Immunogen Species	Human
Conjugate	Non-conjugated
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IF (Immunofluorescence)

Immunofluorescence staining of Raw264.7 cells with AAA27029 at 1:100, counter-stained with DAPI. The cells were blocked in 10% normal Goat Serum and then incubated with the primary antibody overnight at 4 degree C. The secondary antibody was Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



IF (Immunofluorescence)

Immunofluorescence staining of HepG2 cells with AAA27029 at 1:100, counter-stained with DAPI. The cells were blocked in 10% normal Goat Serum and then incubated with the primary antibody overnight at 4 degree C. The secondary antibody was Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).




IF (Immunofluorescence)

Immunofluorescence staining of A549 cells with AAA27029 at 1:100, counter-stained with DAPI. The cells were blocked in 10% normal Goat Serum and then incubated with the primary antibody overnight at 4 degree C. The secondary antibody was Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).




IHC (Immunohistochemistry)

IHC image of AAA27029 diluted at 1:100 and staining in paraffin-embedded human breast cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



IHC (Immunohistochemistry)

IHC image of AAA27029 diluted at 1:100 and staining in paraffin-embedded human lung cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



IHC (Immunohistochemistry)

IHC image of AAA27029 diluted at 1:100 and staining in paraffin-embedded human tonsil tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

ADDITIONAL INFORMATION

Product Categories/Family for anti-CD14 antibody

[Immunology](#)

NCBI AND UNIPROT INFORMATION

NCBI GI #	4557417
NCBI GeneID	929
NCBI Accession #	NP_000582.1
NCBI GenBank Nucleotide #	NM_000591.3
UniProt Accession #	P08571; Q53XT5; Q96FR6; Q96L99; Q9UNS3
NCBI Official Full Name	monocyte differentiation antigen CD14
NCBI Official Synonym Full Names	CD14 molecule
NCBI Official Symbol	CD14
NCBI Protein Information	monocyte differentiation antigen CD14; myeloid cell-specific leucine-rich glycoprotein
UniProt Protein Name	Monocyte differentiation antigen CD14
UniProt Gene Name	CD14
UniProt Entry Name	CD14_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/cd14-antibody-western-blot-immunohistochemistry-immunofluorescence-elisa/27029>