

Human UGT2B7 (UDP Glucuronosyltransferase 2 Family, Polypeptide B7) ELISA Kit | UGT2B7 elisa kit

Human UGT2B7 (UDP Glucuronosyltransferase 2 Family, Polypeptide B7) ELISA Kit

CATALOG #
AAA272921

REACTIVITY
Human


PRODUCT SYNONYMS

UGT2B7 (UDP Glucuronosyltransferase 2 Family; Polypeptide B7); Human UGT2B7 (UDP Glucuronosyltransferase 2 Family; Polypeptide B7) ELISA Kit; UGTB2B9; UDPGTh-2; 3; 4-catechol estrogen-specific UDPGT; UGT2B7 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Human UGT2B7. No significant cross-reactivity or interference between Human UGT2B7 and analogues was observed.
Assay Type	Sandwich
Detection Range	0.32-20 ng/mL
Sensitivity	0.113 ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay)? CV%<8%. Three samples of known concentration were tested twenty times on one plate to assess intra-assay precision.
Inter-assay Precision	Inter-assay Precision (Precision between assays)? CV%<10%. Three samples of known concentration were tested in forty separate assays to assess inter-assay precision.
Preparation and Storage	Store at 2-8 degree C. Stable for 6 months from date of receipt.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for UGT2B7 elisa kit	Principle of the Assay: The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to UDP Glucuronosyltransferase 2 Family, Polypeptide B7(UGT2B7). Standards or samples are added to the appropriate microtiter plate wells then with a biotin-conjugated antibody specific to UDP Glucuronosyltransferase 2 Family, Polypeptide B7(UGT2B7). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain UDP Glucuronosyltransferase 2 Family, Polypeptide B7(UGT2B7), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of UDP Glucuronosyltransferase 2 Family, Polypeptide B7(UGT2B7) in the samples is then determined by comparing the OD of the samples to the standard curve.
Product Categories/Family for UGT2B7 elisa kit	Enzyme & Kinase

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/ugt2b7-udp-glucuronosyltransferase-2-family-polypeptide-b7/272921>