

## Human TAAR2 (Trace Amine Associated Receptor 2) ELISA Kit | TAAR2 elisa kit

Human TAAR2 (Trace Amine Associated Receptor 2) ELISA Kit

CATALOG #  
**AAA273184**

REACTIVITY  
**Human**


### PRODUCT SYNONYMS

TAAR2 (Trace Amine Associated Receptor 2); Human TAAR2 (Trace Amine Associated Receptor 2) ELISA Kit; GPR58; G Protein-Coupled Receptor 58; TAAR2 elisa kit

### PRODUCT SPECIFICATIONS

|                         |                                                                                                                                                                                         |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity              | Human                                                                                                                                                                                   |
| Specificity             | This assay has high sensitivity and excellent specificity for detection of Human TAAR2. No significant cross-reactivity or interference between Human TAAR2 and analogues was observed. |
| Assay Type              | Sandwich                                                                                                                                                                                |
| Detection Range         | 0.79-50 ng/mL                                                                                                                                                                           |
| Sensitivity             | 0.26 ng/mL                                                                                                                                                                              |
| Intra-assay Precision   | Intra-assay Precision (Precision within an assay)? CV%<8%. Three samples of known concentration were tested twenty times on one plate to assess intra-assay precision.                  |
| Inter-assay Precision   | Inter-assay Precision (Precision between assays)? CV%<10%. Three samples of known concentration were tested in forty separate assays to assess inter-assay precision.                   |
| Preparation and Storage | Store at 2-8 degree C. Stable for 6 months from date of receipt.                                                                                                                        |

### IMAGES



Standard Curve (Sample)

### ADDITIONAL INFORMATION

#### Related Product Information for TAAR2 elisa kit

**Principle of the Assay:** The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Trace Amine Associated Receptor 2(TAAR2). Standards or samples are added to the appropriate microtiter plate wells then with a biotin-conjugated antibody specific to Trace Amine Associated Receptor 2(TAAR2). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Trace Amine Associated Receptor 2(TAAR2), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm  $\pm$  10nm. The concentration of Trace Amine Associated Receptor 2(TAAR2) in the samples is then determined by comparing the OD of the samples to the standard curve.

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)

Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/taar2-trace-amine-associated-receptor-2/273184>