

Human 12-lipoxygenase,LOX-12 ELISA Kit | LOX-12 elisa kit

Human 12-lipoxygenase,LOX-12 ELISA Kit

CATALOG #
AAA27393

REACTIVITY
Human


PRODUCT SYNONYMS

12-lipoxygenase; LOX-12; Human 12-lipoxygenase; LOX-12 ELISA Kit; LOX-12 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of LOX12. No significant cross-reactivity or interference between LOX12 and analogues was observed. NOTE: Limited by current skills and knowledge, it is impossible for us to complete the cross-reactivity detection between LOX12 and all the analogues, therefore, cross reaction may still exist in some cases.
Samples	Serum, plasma, cell culture supernatants, body fluid and tissue homogenate
Assay Type	Quantitative Competitive
Sensitivity	0.1 ng/mL

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LOX-12 elisa kit	Intended Uses: This LOX12 ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Human LOX12. This ELISA kit for research use only, not for therapeutic or test applications! Principle of the Assay: LOX12 ELISA kit applies the competitive enzyme immunoassay technique utilizing a polyclonal anti-LOX12 antibody and an LOX12-HRP conjugate. The assay sample and buffer are incubated together with LOX12-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the LOX12 concentration since LOX12 from samples and LOX12-HRP conjugate compete for the anti-LOX12 antibody binding site. Since the number of sites is limited, as more sites are occupied by LOX12 from the sample, fewer sites are left to bind LOX12-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The LOX12 concentration in each sample is interpolated from this standard curve.
--	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/12-lipoxygenaselox-12/27393>