

Human dephosphorylated uncarboxylated Matrix Gla Protein (dp-ucMGP) ELISA Kit | dp-ucMGP elisa kit

Human dephosphorylated uncarboxylated Matrix Gla Protein (dp-ucMGP) ELISA Kit

CATALOG #

AAA27457

REACTIVITY

Human


PRODUCT SYNONYMS

dephosphorylated uncarboxylated Matrix Gla Protein (dp-ucMGP); Human dephosphorylated uncarboxylated Matrix Gla Protein (dp-ucMGP) ELISA Kit; dp-ucMGP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of dp-ucMGP. No significant cross-reactivity or interference between dp-ucMGP and analogues was observed. NOTE: Limited by current skills and knowledge, it is impossible for us to complete the cross-reactivity detection between dp-ucMGP and all the analogues, therefore, cross reaction may still exist in some cases.
Assay Type	Quantitative Competitive
Samples	Serum, plasma, cell culture supernatants, body fluid and tissue homogenate
Sensitivity	1.0 ng/mL
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for dp-ucMGP elisa kit	Principle of the Assay: dp-ucMGP ELISA kit applies the competitive enzyme immunoassay technique utilizing a polyclonal anti-dp-ucMGP antibody and an dp-ucMGP-HRP conjugate. The assay sample and buffer are incubated together with dp-ucMGP-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the dp-ucMGP concentration since dp-ucMGP from samples and dp-ucMGP-HRP conjugate compete for the anti-dp-ucMGP antibody binding site. Since the number of sites is limited, as more sites are occupied by dp-ucMGP from the sample, fewer sites are left to bind dp-ucMGP-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The dp-ucMGP concentration in each sample is interpolated from this standard curve. Intended Uses: This dp-ucMGP ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Human dp-ucMGP. This ELISA kit for research use only, not for therapeutic or diagnostic applications!
--	--

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/dephosphorylated-uncarboxylated-matrix-gla-protein-dp-ucmgrp/27457>