

# Rabbit ADAMTS4 (A Disintegrin And Metalloproteinase With Thrombospondin 4) ELISA Kit

## | ADAMTS4 elisa kit

Rabbit ADAMTS4 (A Disintegrin And Metalloproteinase With Thrombospondin 4) ELISA Kit

|                               |                             |
|-------------------------------|-----------------------------|
| CATALOG #<br><b>AAA275253</b> | REACTIVITY<br><b>Rabbit</b> |
|-------------------------------|-----------------------------|


### PRODUCT SYNONYMS

ADAMTS4 (A Disintegrin And Metalloproteinase With Thrombospondin 4); Rabbit ADAMTS4 (A Disintegrin And Metalloproteinase With Thrombospondin 4) ELISA Kit; ADMP-1; Aggrecanase-1; ADAMTS4 elisa kit

### PRODUCT SPECIFICATIONS

|                         |                                                                                                                                                                                               |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity              | Rabbit                                                                                                                                                                                        |
| Specificity             | This assay has high sensitivity and excellent specificity for detection of Rabbit ADAMTS4. No significant cross-reactivity or interference between Rabbit ADAMTS4 and analogues was observed. |
| Assay Type              | Sandwich                                                                                                                                                                                      |
| Detection Range         | 31.25-2000 pg/mL                                                                                                                                                                              |
| Sensitivity             | 12.1 pg/mL                                                                                                                                                                                    |
| Intra-assay Precision   | Intra-assay Precision (Precision within an assay)? CV%<8%. Three samples of known concentration were tested twenty times on one plate to assess intra-assay precision.                        |
| Inter-assay Precision   | Inter-assay Precision (Precision between assays)? CV%<10%. Three samples of known concentration were tested in forty separate assays to assess inter-assay precision.                         |
| Preparation and Storage | Store at 2-8 degree C. Stable for 6 months from date of receipt.                                                                                                                              |

### IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

|                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Related Product Information for ADAMTS4 elisa kit | Principle of the Assay: The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to A Disintegrin And Metalloproteinase With Thrombospondin 4(ADAMTS4). Standards or samples are added to the appropriate microtiter plate wells then with a biotin-conjugated antibody specific to A Disintegrin And Metalloproteinase With Thrombospondin 4(ADAMTS4). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain A Disintegrin And Metalloproteinase With Thrombospondin 4(ADAMTS4), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of A Disintegrin And Metalloproteinase With Thrombospondin 4(ADAMTS4) in the samples is then determined by comparing the OD of the samples to the standard curve. |
| Product Categories/Family for ADAMTS4 elisa kit   | Enzyme & Kinase; Tumor immunity; Infection immunity; Neuro science; Rheumatology                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)  
Online datasheet: <https://stage.aaabiotech.com/rabbit-elisa-kits/adamts4-a-disintegrin-and-metalloproteinase-with-thrombospondin-4/275253>