

General Lum (Lumisterol) ELISA Kit | Lum elisa kit

General Lum (Lumisterol) ELISA Kit

CATALOG #
AAA275760

REACTIVITY
General


PRODUCT SYNONYMS

Lum (Lumisterol); General Lum (Lumisterol) ELISA Kit; VD; VD1; Lamisterol; Vitamin D; Vitamin D1; Lum elisa kit

PRODUCT SPECIFICATIONS

Reactivity	General
Specificity	This assay has high sensitivity and excellent specificity for detection of General Lum. No significant cross-reactivity or interference between General Lum and analogues was observed.
Assay Type	Competitive
Detection Range	6.25-400 ng/mL
Sensitivity	2.19 ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay)? CV%<8%. Three samples of known concentration were tested twenty times on one plate to assess intra-assay precision.
Inter-assay Precision	Inter-assay Precision (Precision between assays)? CV%<10%. Three samples of known concentration were tested in forty separate assays to assess inter-assay precision.
Preparation and Storage	Store at 2-8 degree C. Stable for 6 months from date of receipt.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Lum elisa kit

Principle of the Assay: This assay employs the competitive inhibition enzyme immunoassay technique. The microtiter plate provided in this kit has been pre-coated with Lumisterol(Lum) protein. Standards or samples are added to the appropriate microtiter plate wells then with a biotin-conjugated antibody specific to Lumisterol(Lum). Next,Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Lumisterol(Lum) in the samples is then determined by comparing the OD of the samples to the standard curve.

Product Categories/Family for Lum elisa kit

Metabonomics

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/general-elisa-kits/lum-lumisterol/275760>