

FTL recombinant antibody

FTL Recombinant Monoclonal Antibody



CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA279081	HEK293F Cell	Human	Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA

PRODUCT SYNONYMS

FTL; Monoclonal Recombinant Antibody; FTL Recombinant Monoclonal Antibody; Ferritin light chain (Ferritin L subunit); FTL recombinant antibody

PRODUCT SPECIFICATIONS

Host	HEK293F Cell
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	12D12
Purity/Purification	Affinity purified
Form/Format	Liquid; PBS, 150mM NaCl, 0.02% sodium azide, 50% glycerol, pH 7.4.
Applicable Applications for FTL recombinant antibody	FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA
Immunogen Species	Human
Immunogen	A synthesized peptide derived from Human FTL
Conjugation	Non-conjugated
Research Area	Neuroscience; Cancer; Cardiovascular; Metabolism; Signal transduction
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.



IHC (Immunohistochemistry)
IHC image of AAA279081 diluted at 1:50 and staining in paraffin-embedded human glioma cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-rabbit polymer IgG labeled by HRP and visualized using 0.29% DAB.

FCM/FACS (Flow Cytometry)
Overlay Peak curve showing MCF-7 cells stained with AAA279081 (red line) at 1:50. The cells were fixed in 4% formaldehyde and permeated by 0.2% TritonX-100. Then 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (1ug/1*10⁶cells) for 45min at 4°. The secondary antibody used was FITC-conjugated Goat Anti-rabbit IgG(H+L) at 1:200 dilution for 35min at 4°. Control antibody (green line) was rabbit IgG (1ug/1*10⁶cells) used under the same conditions. Acquisition of >10,000 events was performed.

NCBI AND UNIPROT INFORMATION

NCBI GI #	20149498
NCBI GeneID	2512
NCBI Accession #	NP_000137.2
NCBI GenBank Nucleotide #	NM_000146.3
UniProt Accession #	P02792; Q6IBT7; Q7Z2W1; Q86WI9; Q8WU07; Q96AU9; Q96CU0; Q9BTZ8; B2R4B9
Molecular Weight	20,020 Da
NCBI Official Full Name	ferritin light chain
NCBI Official Synonym Full Names	ferritin, light polypeptide
NCBI Official Symbol	FTL
NCBI Official Synonym Symbols	LFTD; NBIA3
NCBI Protein Information	ferritin light chain; ferritin L subunit; ferritin L-chain; ferritin light polypeptide-like 3
UniProt Protein Name	Ferritin light chain
UniProt Gene Name	FTL
UniProt Synonym Gene Names	Ferritin L subunit
UniProt Entry Name	FRIL_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.