

SNCG recombinant antibody

SNCG Recombinant Monoclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA279178	HEK293F Cell	Human, Mouse	Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA

PRODUCT SYNONYMS

SNCG; Monoclonal Recombinant Antibody; SNCG Recombinant Monoclonal Antibody; BCSG1; Breast cancer specific gene 1 protein; Breast cancer specific protein 1; Breast cancer-specific gene 1 protein; Gamma synuclein; Gamma-synuclein; Persyn; PRSN; SR; Synoretin; Synuclein gamma; synuclein; gamma (breast cancer-specific protein 1); SYUG_HUMAN; SNCG recombinant antibody

PRODUCT SPECIFICATIONS


Host	HEK293F Cell
Reactivity	Human, Mouse
Clonality	Monoclonal
Isotype	Mouse IgG
Clone Number	3C2
Purity/Purification	Affinity purified
Form/Format	Liquid; 0.03% Proclin 300, 50% glycerol, 0.01M PBS, pH 7.4.
Applicable Applications for SNCG recombinant antibody	FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA
Immunogen Species	Human
Immunogen	Recombinant Human SNCG protein
Conjugation	Non-conjugated
Research Area	Neuroscience
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



FCM/FACS (Flow Cytometry)

Overlay Peak curve showing Hela cells stained with AAA279178 (red line) at 1:100. Then 10% normal goat serum was incubated to block non-specific protein-protein interactions followed by the antibody (1ug/1*10⁶cells) for 45 min at 4°C. The secondary antibody used was FITC-conjugated Goat Anti-Mouse IgG(H+L) at 1/200 dilution for 35 min at 4°C. Isotype control antibody (green line) was mouse IgG1 (1ug/1*10⁶cells) used under the same conditions. Acquisition of >10,019 events was performed.



IHC (Immunohistochemistry)

IHC image of AAA279178 diluted at 1:50 and staining in paraffin-embedded human liver cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-Mouse IgG labeled by HRP and visualized using 0.05% DAB.

NCBI AND UNIPROT INFORMATION

NCBI GI #	209693439
-----------	-----------

NCBI GeneID	6623
NCBI Accession #	NP_003078.2
NCBI GenBank Nucleotide #	NM_003087.2
UniProt Accession #	O76070; O15104; Q96P61
Molecular Weight	13,331 Da
NCBI Official Full Name	gamma-synuclein
NCBI Official Synonym Full Names	synuclein, gamma (breast cancer-specific protein 1)
NCBI Official Symbol	SNCG
NCBI Official Synonym Symbols	SR; BCSG1
NCBI Protein Information	gamma-synuclein; persyn; synoretin; breast cancer-specific gene 1 protein
UniProt Protein Name	Gamma-synuclein
UniProt Gene Name	SNCG
UniProt Synonym Gene Names	BCSG1; PERSYN; PRSN; SR
UniProt Entry Name	SYUG_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/sncg-recombinant-antibody-clone-3c2-flow-cytometry-immunohistochemistry-elisa/279178>