

SOD1 recombinant antibody

SOD1 Recombinant Monoclonal Antibody



CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA279181	HEK293F Cell	Human	Flow Cytometry, Functional Assay, Immunofluorescence, ELISA

PRODUCT SYNONYMS

SOD1; Monoclonal Recombinant Antibody; SOD1 Recombinant Monoclonal Antibody; ALS; ALS1; Amyotrophic lateral sclerosis 1 adult; Cu/Zn SOD; Cu/Zn superoxide dismutase; Epididymis secretory protein Li 44; HEL S 44; Homodimer; hSod1; Indophenoloxidase A; IPOA; Mn superoxide dismutase; SOD; SOD soluble; SOD2; SODC; SODC_HUMAN; Superoxide dismutase [Cu-Zn]; Superoxide dismutase 1; Superoxide dismutase 1 soluble; Superoxide dismutase Cu Zn; Superoxide dismutase cystolic; SOD1 recombinant antibody

PRODUCT SPECIFICATIONS

Host	HEK293F Cell
Reactivity	Human
Clonality	Monoclonal
Isotype	Mouse IgG
Clone Number	8C4
Purity/Purification	Affinity purified
Form/Format	Liquid; 0.03% Proclin 300, 50% glycerol, 0.01M PBS, pH 7.4.
Applicable Applications for SOD1 recombinant antibody	FCM/FACS (Flow Cytometry), IF (Immunofluorescence), ELISA
Immunogen Species	Human
Immunogen	Recombinant Human SOD1 protein
Conjugation	Non-conjugated
Research Area	Cancer; Cell biology; Metabolism; Signal transduction
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.



IF (Immunofluorescence)
Immunofluorescence staining of HeLa cell with AAA279181 at 1:20, counter-stained with DAPI. The cells were fixed in 4% formaldehyde and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was FITC-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).

FCM/FACS (Flow Cytometry)
Overlay Peak curve showing HeLa cells stained with AAA279181 (red line) at 1:50. Then 10% normal goat serum was incubated to block non-specific protein-protein interactions followed by the antibody (1ug/1*10⁶cells) for 45 min at 4°C. The secondary antibody used was FITC-conjugated Goat Anti-Mouse IgG(H+L) at 1/200 dilution for 35 min at 4°C. Isotype control antibody (green line) was mouse IgG1 (1ug/1*10⁶cells) used under the same conditions. Acquisition of >10,024 events was performed.

NCBI AND UNIPROT INFORMATION

NCBI GI #	134611
NCBI GeneID	6647
UniProt Accession #	P00441; Q16669; Q16711; Q16838; Q16839; Q16840; Q6NR85; A6NHJ0; D3DSE4
Molecular Weight	154
NCBI Official Full Name	Superoxide dismutase
NCBI Official Synonym Full Names	superoxide dismutase 1, soluble
NCBI Official Symbol	SOD1
NCBI Official Synonym Symbols	ALS; SOD; ALS1; IPOA; hSod1; HEL-S-44; homodimer
NCBI Protein Information	superoxide dismutase [Cu-Zn]; superoxide dismutase [Cu-Zn]; SOD, soluble; indophenoloxidase A; Cu/Zn superoxide dismutase; superoxide dismutase, cystolic; epididymis secretory protein Li 44
UniProt Protein Name	Superoxide dismutase [Cu-Zn]
UniProt Gene Name	SOD1
UniProt Synonym Gene Names	hSod1
UniProt Entry Name	SODC_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/sod1-recombinant-antibody-clone-8c4-flow-cytometry-immunofluorescence-elisa/279181>