

R-spondin-1 (RSPO1) Active Protein | RSPO1 active protein

Recombinant Human R-spondin-1 (RSPO1), partial (Active)

CATALOG # AAA279250	HOST Mammalian Cell
-------------------------------	-------------------------------


PRODUCT SYNONYMS

R-spondin-1 (RSPO1); Recombinant Human R-spondin-1 (RSPO1); partial (Active); Roof plate-specific spondin-1; hRspo1; RSPO1 active protein


PRODUCT SPECIFICATIONS

Host	Mammalian Cell
Purity/Purification	Greater than 95% as determined by SDS-PAGE.
Form/Format	Lyophilized powder Lyophilized from a 0.2 um filtered PBS, 6% Trehalose, pH 7.4
Sequence Positions	31-263aa; Partial
Sequence	RISAEGSQAC AKGCELCSEV NGCLKCSPKL FILLERNDIR QVGVCLPSCP PGYFDARNPD MNKCIKCKIE HCEACFSHNF CTKCKEGLYL HKGRCYPACP EGSSAANGTM ECSSPAQCEM SEWSPWGPCS KKQQLCGFRR GSEERTRRVL HAPVGDHAAC SDTKETRRT VRRVPCPEGQ KRRKGGQGRR ENANRNLARK ESKEAGAGSR RRKGQQQQQQ QGTVGPLTSA GPA\$
Species	Homo sapiens (Human)
Tag	C-terminal 10xHis-Avi-tagged
Endotoxin	Less than 1.0 EU/ug as determined by LAL method.
Research Area	Developmental Biology
Biological Activity	Measured by its binding ability in a functional ELISA. Immobilized Human RSPO1 at 2 ug/mL can bind Human LGR5, the EC50 is 124.0-174.1 ng/mL.
Preparation and Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20 degree C/-80 degree C. The shelf life of lyophilized form is 12 months at -20 degree C/-80 degree C. Repeated freezing and thawing is not recommended. Store working aliquots at 4 degree C for up to one week. We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20 degree C/-80 degree C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

IMAGES



Bioactivity
Measured by its binding ability in a functional ELISA. Immobilized Human RSP01 at 2 ?g/ml can bind Human LGR5, the EC50 is 124.0-174.1 ng/mL.



SDS-PAGE
Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

ADDITIONAL INFORMATION

Related Product Information for RSP01 active protein	Activator of the canonical Wnt signaling pathway by acting as a ligand for LGR4-6 receptors. Upon binding to LGR4-6 (LGR4, LGR5 or LGR6), LGR4-6 associate with phosphorylated LRP6 and frizzled receptors that are activated by extracellular Wnt receptors, triggering the canonical Wnt signaling pathway to increase expression of target genes. Also regulates the canonical Wnt/beta-catenin-dependent pathway and non-canonical Wnt signaling by acting as an inhibitor of ZNRF3, an important regulator of the Wnt signaling pathway. Acts as a ligand for frizzled FZD8 and LRP6. May negatively regulate the TGF-beta pathway. Has a essential roles in ovary determination. Regulates Wnt signaling by antagonizing DKK1/KREM1-mediated internalization of LRP6 through an interaction with KREM1.
Product Categories/Family for RSP01 active protein	Active Protein & In Stock Protein

NCBI AND UNIPROT INFORMATION

NCBI GI #	84490388
NCBI GeneID	284654
NCBI Accession #	NP_001033722.1
NCBI GenBank Nucleotide #	NM_001038633.3
UniProt Accession #	Q2MKA7; Q0H8S6; Q14C72; Q5T0F2; Q8N7L5; A2A420
Molecular Weight	28,959 Da
NCBI Official Full Name	R-spondin-1 isoform 1
NCBI Official Synonym Full Names	R-spondin 1
NCBI Official Symbol	RSP01
NCBI Official Synonym Symbols	RSP0; CRISTIN3
NCBI Protein Information	R-spondin-1; R-spondin homolog; roof plate-specific spondin-1
UniProt Protein Name	R-spondin-1
UniProt Gene Name	RSP01
UniProt Synonym Gene Names	hRsp01
UniProt Entry Name	RSP01_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mammalian-cell-active-protein/r-spondin-1-rspo1/279250>