

CLDN6/9 recombinant antibody

CLDN6/9 Recombinant Monoclonal Antibody


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA279305	HEK293F Cell	Human	Flow Cytometry, Functional Assay, ELISA

PRODUCT SYNONYMS


CLDN6/9; Monoclonal Recombinant Antibody; CLDN6/9 Recombinant Monoclonal Antibody; Claudin-6 antibody; Claudin6 antibody; CLD6_HUMAN antibody; CLDN 6 antibody; CLDN6 antibody; OTTHUMP00000159248 antibody; Skullin 2 antibody; Skullin antibody; UNQ757/PRO1488 antibody\$; CLDN6/9 recombinant antibody

PRODUCT SPECIFICATIONS


Host	HEK293F Cell
Reactivity	Human
Clonality	Monoclonal
Isotype	mFc2a
Clone Number	9E2
Purity/Purification	Affinity-chromatography
Form/Format	Liquid; Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Applicable Applications for CLDN6/9 recombinant antibody	FCM/FACS (Flow Cytometry), ELISA
Antigen Species	Human
Antigen	Recombinant Human CLDN6/9 protein
Conjugation	Non-conjugated
Research Area	Developmental biology, Microbiology, Signal transduction, Stem cells
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.




FCM/FACS (Flow Cytometry)
Untransfected HEK-293T cells (green line) and transfected Human CLDN9 HEK-293T stable cells (red line) were stained with anti-CLDN9 antibody (AAA279305) (2ug/1*10⁶cells), washed and then followed by APC-conjugated anti-Mouse IgG Fc antibody and analyzed with flow cytometry.




FCM/FACS (Flow Cytometry)
Untransfected CHO-K1*106cells), washed and then followed by APC-conjugated anti-Mouse IgG Fc antibody and analyzed with flow cytometry.



FCM/FACS (Flow Cytometry)
Untransfected HEK-293T cells (green line) and transfected Human CLDN6 HEK-293T stable cells (red line) were stained with anti-CLDN6/9 antibody(AAA279305) (2ug/1*10⁶cells), washed and then followed by APC-conjugated anti-Mouse IgG Fc antibody and analyzed with flow cytometry.



ELISA
The Binding Activity of Human CLDN6 with Anti-CLDN6-9 recombinant antibodyActivity: Measured by its binding ability in a functional ELISA. Immobilized Human CLDN6-9 (CSB-MP005511HU) at 10 ug/mL can bind Anti-CLDN6-9 recombinant antibody. The EC50 is 2.876-3.657 ng/mL. The VLPs (CSB-MP3838) is negative control.



ELISA
The Binding Activity of Human CLDN6 with Anti-CLDN6-9 recombinant antibodyActivity: Measured by its binding ability in a functional ELISA. Immobilized Human CLDN6 (CSB-MP005508HU(A4)) at 10 ug/mL can bind Anti-CLDN6-9 recombinant antibody. The EC50 is 1.189-1.618 ng/mL. The VLPs (CSB-MP3838) is negative control.

NCBI AND UNIPROT INFORMATION

NCBI GI #	153792768
NCBI GeneID	9074
NCBI Accession #	NP_067018.2
NCBI GenBank Nucleotide #	NM_021195.4

UniProt Accession #	P56747; B3KQP9; D3DUA5
Molecular Weight	23,292 Da
NCBI Official Full Name	claudin-6
NCBI Official Synonym Full Names	claudin 6
NCBI Official Symbol	CLDN6
NCBI Protein Information	claudin-6; skullin
UniProt Protein Name	Claudin-6
UniProt Gene Name	CLDN6
UniProt Entry Name	CLD6_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/cldn6-9-recombinant-antibody-clone-9e2-flow-cytometry-elisa/279305>