

FOLR1 recombinant antibody

FOLR1 Recombinant Monoclonal Antibody

CATALOG # AAA279308	HOST HEK293F Cell	REACTIVITY Human, Cynomolgus	APPLICATIONS ELISA
-------------------------------	-----------------------------	--	------------------------------


PRODUCT SYNONYMS

FOLR1; Monoclonal Recombinant Antibody; FOLR1 Recombinant Monoclonal Antibody; adult antibody; Adult folate binding protein antibody; Adult folate-binding protein antibody; FBP antibody; Folate Binding Protein antibody; Folate Receptor 1 Adult antibody; Folate receptor 1 antibody; Folate Receptor 1 Precursor antibody; Folate receptor adult antibody; Folate receptor alpha antibody; Folate receptor antibody; FOLR antibody; FOLR1 antibody; FOLR1_HUMAN antibody; FR alpha antibody; FR-alpha antibody; FRalpha antibody; KB cells FBP antibody; MOV18 antibody; Ovarian cancer associated antigen antibody; Ovarian tumor associated antigen antibody; Ovarian tumor associated antigen MOV18 antibody; Ovarian tumor-associated antigen MOV18 antibody; FOLR1 recombinant antibody


PRODUCT SPECIFICATIONS

Host	HEK293F Cell
Reactivity	Human, Cynomolgus
Clonality	Monoclonal
Isotype	hIgG1
Clone Number	4B11
Purity/Purification	Affinity-chromatography
Form/Format	Liquid; Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Applicable Applications for FOLR1 recombinant antibody	ELISA
Antigen Species	Human
Antigen	Recombinant Human FOLR1 protein
Conjugation	Non-conjugated
Research Area	Tags & Cell Markers
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.


IMAGES



ELISA
The Binding Activity of Human FOLR1 with Anti-FOLR1 recombinant antibodyActivity: Measured by its binding ability in a functional ELISA. Immobilized human FOLR1(CSB-MP008784HU1) at 2 ug/mL can bind Anti-FOLR1 recombinant antibody. The EC50 is 6.893-7.883 ng/mL.



ELISA
The Binding Activity of Cynomolgus FOLR1 with Anti-FOLR1 recombinant antibodyActivity: Measured by its binding ability in a functional ELISA. Immobilized Cynomolgus FOLR1(CSB-MP5002MOV) at 2 ug/mL can bind Anti-FOLR1 recombinant antibody. The EC50 is 2.900-3.544 ng/mL.



ELISA
The Binding Activity of Cynomolgus FOLR1 with Anti-FOLR1 recombinant antibodyActivity: Measured by its binding ability in a functional ELISA. Immobilized Cynomolgus FOLR1(CSB-MP5002MOV) at 2 ug/mL can bind Anti-FOLR1 recombinant antibody. The EC50 is 2.900-3.544 ng/mL.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4758400
NCBI GeneID	2348
NCBI Accession #	NP_000793.1
NCBI GenBank Nucleotide #	NM_000802.3
UniProt Accession #	P15328; Q53EW2; Q6FGT8; Q6LC90; Q9UCT2
Molecular Weight	29,819 Da
NCBI Official Full Name	folate receptor alpha
NCBI Official Synonym Full Names	folate receptor 1 (adult)
NCBI Official Symbol	FOLR1
NCBI Official Synonym Symbols	FBP; FOLR
NCBI Protein Information	folate receptor alpha; FR-alpha; KB cells FBP; folate binding protein; folate receptor, adult; adult folate-binding protein; ovarian tumor-associated antigen MOv18
UniProt Protein Name	Folate receptor alpha
UniProt Gene Name	FOLR1
UniProt Synonym Gene Names	FOLR; FR-alpha; FBP

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/folr1-recombinant-antibody-clone-4b11-elisa/279308>