

## LRP1 recombinant antibody

LRP1 Recombinant Monoclonal Antibody



| CATALOG # | HOST         | REACTIVITY        | APPLICATIONS                              |
|-----------|--------------|-------------------|-------------------------------------------|
| AAA279353 | HEK293F Cell | Human, Mouse, Rat | Immunohistochemistry, Western Blot, ELISA |

### PRODUCT SYNONYMS

LRP1; Monoclonal Recombinant Antibody; LRP1 Recombinant Monoclonal Antibody; A2MR antibody; Alpha 2 macroglobulin receptor antibody; alpha 2MR antibody; Alpha-2-macroglobulin receptor antibody; APOER antibody; Apolipoprotein E receptor antibody; APR antibody; CD 91 antibody; CD91 antibody; CD91 antigen antibody; IGFBP3R antibody; LDL receptor related protein 1 antibody; Low density lipoprotein receptor related protein 1 antibody; Low density lipoprotein related protein 1 antibody; Low-density lipoprotein receptor-related protein 1 intracellular domain antibody; LRP 1 antibody; LRP 515 antibody; LRP 85 antibody; LRP antibody; LRP ICD antibody; LRP-1 antibody; LRP-515 antibody; LRP-85 antibody; Lrp1 antibody; LRP1 protein antibody; LRP1\_HUMAN antibody; LRP1A antibody; LRP515 antibody; LRP85 antibody; LRPICD antibody; MGC88725 antibody; Prolow density lipoprotein receptor related protein 1 antibody; TbetaR V/LRP 1/IGFBP 3 receptor antibody; TbetaRV/LRP1/IGFBP3 receptor antibody; TGFBFR 5 antibody; TGFBFR5 antibody; Type V tgf beta receptor antibody; LRP1 recombinant antibody


### PRODUCT SPECIFICATIONS

|                                                       |                                                                             |
|-------------------------------------------------------|-----------------------------------------------------------------------------|
| Host                                                  | HEK293F Cell                                                                |
| Reactivity                                            | Human, Mouse, Rat                                                           |
| Clonality                                             | Monoclonal                                                                  |
| Isotype                                               | Rabbit IgG                                                                  |
| Clone Number                                          | 7D3                                                                         |
| Purity/Purification                                   | Affinity chromatography                                                     |
| Form/Format                                           | Liquid; PBS, 150mM NaCl, 0.02% sodium azide, 50% glycerol, pH 7.4.          |
| Applicable Applications for LRP1 recombinant antibody | IHC (Immunohistochemistry), WB (Western Blot), ELISA                        |
| Antigen Species                                       | Human                                                                       |
| Immunogen                                             | A synthesized peptide derived from human LRP1                               |
| Preparation and Storage                               | Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze. |



**IHC (Immunohistochemistry)**  
IHC image of AAA279353 diluted at 1:150 and staining in paraffin-embedded mouse brain tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a Goat anti-rabbit polymer IgG labeled by HRP and visualized using 0.05% DAB. Secondary antibody only control: uses 1% BSA instead of primary antibody.

**IHC (Immunohistochemistry)**  
IHC image of AAA279353 diluted at 1:150 and staining in paraffin-embedded human prostate cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a Goat anti-rabbit polymer IgG labeled by HRP and visualized using 0.05% DAB. Secondary antibody only control: uses 1% BSA instead of primary antibody.



**WB (Western Blot)**  
Western BlotPositive WB detected in: Mouse lung tissue lysate, Rat liver tissue lysateAll lanes:  
LRP1 antibody at 1:1000SecondaryGoat polyclonal to rabbit IgG at 1/50000 dilutionPredicted  
band size: 505 kDaObserved band size: 100 kDa

ADDITIONAL INFORMATION

|                                                         |                                                                                     |
|---------------------------------------------------------|-------------------------------------------------------------------------------------|
| Product Categories/Family for LRP1 recombinant antibody | Neuroscience, Cancer, Cardiovascular, Cell biology, Metabolism, Signal transduction |
|---------------------------------------------------------|-------------------------------------------------------------------------------------|

NCBI AND UNIPROT INFORMATION

|                                  |                                                       |
|----------------------------------|-------------------------------------------------------|
| NCBI GI #                        | 126012562                                             |
| NCBI GeneID                      | 4035                                                  |
| NCBI Accession #                 | NP_002323.2                                           |
| NCBI GenBank Nucleotide #        | NM_002332.2                                           |
| UniProt Accession #              | Q07954; Q2PP12; Q8IVG8                                |
| Molecular Weight                 | 504,606 Da                                            |
| NCBI Official Full Name          | prolow-density lipoprotein receptor-related protein 1 |
| NCBI Official Synonym Full Names | low density lipoprotein receptor-related protein 1    |
| NCBI Official Symbol             | LRP1                                                  |

|                               |                                                                                                                                                                                    |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NCBI Official Synonym Symbols | APR; LRP; A2MR; CD91; APOER; LRP1A; TGFBR5; IGFBP3R                                                                                                                                |
| NCBI Protein Information      | prolow-density lipoprotein receptor-related protein 1; LRP-1; type V tgf-beta receptor; apolipoprotein E receptor; alpha-2-macroglobulin receptor; TbetaR-V/LRP-1/IGFBP-3 receptor |
| UniProt Protein Name          | Prolow-density lipoprotein receptor-related protein 1                                                                                                                              |
| UniProt Gene Name             | <b>LRP1</b>                                                                                                                                                                        |
| UniProt Synonym Gene Names    | A2MR; APR; LRP-1; A2MR; APOER; LRP-85; LRP-515; LRPICD                                                                                                                             |
| UniProt Entry Name            | LRP1_HUMAN                                                                                                                                                                         |

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)  
Online datasheet: <https://stage.aaabiotech.com/monoclonal/lrp1-recombinant-antibody-clone-7d3-immunohistochemistry-western-blot-elisa/279353>