

Rabbit anti-Human MANF Polyclonal Antibody | anti-MANF antibody

MANF Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA279905	Rabbit	Human	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

MANF; Polyclonal Antibody; MANF Polyclonal Antibody; ARMET: ARP; ARMET; anti-MANF antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	182
Applicable Applications for anti-MANF antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human MANF
Calculated Molecular Weight	21kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES



IF (Immunofluorescence)
Immunofluorescence analysis of U2OS cells using MANF antibody. Blue: DAPI for nuclear staining.



WB (Western Blot)
Western blot analysis of extracts of various cell lines, using MANF Antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 60s.

ADDITIONAL INFORMATION

Related Product Information for anti-MANF antibody	The protein encoded by this gene is localized in the endoplasmic reticulum (ER) and golgi, and is also secreted. Reducing expression of this gene increases susceptibility to ER stress-induced death and results in cell proliferation. Activity of this protein is important in promoting the survival of dopaminergic neurons. The presence of polymorphisms in the N-terminal arginine-rich region, including a specific mutation that changes an ATG start codon to AGG, have been reported in a variety of solid tumors; however, these polymorphisms were later shown to exist in normal tissues and are thus no longer thought to be tumor-related.
Product Categories/Family for anti-MANF antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	332278201
NCBI GeneID	7873
UniProt Accession #	P55145; Q14CX4; Q86U67; Q96IS4
Molecular Weight	182
NCBI Official Full Name	Mesencephalic astrocyte-derived neurotrophic factor
NCBI Official Synonym Full Names	mesencephalic astrocyte-derived neurotrophic factor
NCBI Official Symbol	MANF
NCBI Official Synonym Symbols	ARP; ARMET
NCBI Protein Information	mesencephalic astrocyte-derived neurotrophic factor; arginine-rich, mutated in early stage tumors
UniProt Protein Name	Mesencephalic astrocyte-derived neurotrophic factor
UniProt Gene Name	MANF
UniProt Synonym Gene Names	ARMET; ARP
UniProt Entry Name	MANF_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

