

Rabbit BCL6 Polyclonal Antibody | anti-BCL6 antibody

BCL6 Polyclonal Antibody

CATALOG # AAA280046	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunofluorescence, Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

BCL6; Polyclonal Antibody; BCL6 Polyclonal Antibody; BCL5; LAZ3; BCL6A; ZNF51; ZBTB27; anti-BCL6 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	706
Applicable Applications for anti-BCL6 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human BCL6
Calculated Molecular Weight	79kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES



IF (Immunofluorescence)
Immunofluorescence analysis of A549 cells using BCL6 antibody.



WB (Western Blot)
Western blot analysis of extracts of various cell lines, using BCL6 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 30s.

ADDITIONAL INFORMATION

Related Product Information for anti-BCL6 antibody	The protein encoded by this gene is a zinc finger transcription factor and contains an N-terminal POZ domain. This protein acts as a sequence-specific repressor of transcription, and has been shown to modulate the transcription of START-dependent IL-4 responses of B cells. This protein can interact with a variety of POZ-containing proteins that function as transcription corepressors. This gene is found to be frequently translocated and hypermutated in diffuse large-cell lymphoma (DLCL), and may be involved in the pathogenesis of DLCL. Alternatively spliced transcript variants encoding different protein isoforms have been found for this gene.
Product Categories/Family for anti-BCL6 antibody	Polyclonal

NCBI AND UNIPROT INFORMATION

NCBI GI #	728952
NCBI GeneID	604
UniProt Accession #	P41182; A7E241; B8PSA7; D3DNV5
Molecular Weight	706
NCBI Official Full Name	B-cell lymphoma 6 protein
NCBI Official Synonym Full Names	B-cell CLL/lymphoma 6
NCBI Official Symbol	BCL6
NCBI Official Synonym Symbols	BCL5; LAZ3; BCL6A; ZNF51; ZBTB27
NCBI Protein Information	B-cell lymphoma 6 protein; BCL-5; BCL-6; protein LAZ-3; zinc finger protein 51; B-cell lymphoma 5 protein; B-cell lymphoma 6 protein transcript; zinc finger transcription factor BCL6S; cys-his2 zinc finger transcription factor; zinc finger and BTB domain-containing protein 27; lymphoma-associated zinc finger gene on chromosome 3
UniProt Protein Name	B-cell lymphoma 6 protein
UniProt Gene Name	BCL6
UniProt Synonym Gene Names	BCL5; LAZ3; ZBTB27; ZNF51; BCL-6; BCL-5
UniProt Entry Name	BCL6_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/bcl6-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/280046>