

Rabbit SORT1 Polyclonal Antibody | anti-SORT1 antibody

SORT1 Polyclonal Antibody

CATALOG # AAA280543	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

SORT1; Polyclonal Antibody; SORT1 Polyclonal Antibody; anti-SORT1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Sequence Length	694
Applicable Applications for anti-SORT1 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human SORT1
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse liver using SORT1 antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human kidney using SORT1 antibody at dilution of 1:100 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using SORT1 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.

ADDITIONAL INFORMATION

Related Product Information for anti-SORT1 antibody

This gene encodes a protein that is a multi-ligand type-1 receptor with similarity to the yeast carboxypeptidase Y sorting receptor Vps10 protein. The encoded protein, a trans-Golgi network (TGN) transmembrane protein, binds a number of unrelated ligands that participate in a wide range of cellular processes; however, it lacks the typical features of a signalling receptor. In the TGN, furin mediates the activation of the mature binding form. The encoded protein consists of a large luminal domain, a single transmembrane segment and short C-terminal cytoplasmic tail. The luminal domain contains a cysteine-rich region similar to two corresponding segments in the yeast Vps10p; the cytoplasmic tail is similar to the corresponding segment of the cation-independent mannose 6-phosphate receptor and the tail also interacts with the VHS domains of GGA (Golgi-associated, gamma-adaptin homologous, ARF-interacting) proteins.

NCBI AND UNIPROT INFORMATION

NCBI GI #	327315343
NCBI GeneID	6272
NCBI Accession #	NP_001192157.1
NCBI GenBank Nucleotide #	NM_001205228.1
UniProt Accession #	Q99523 ; Q8IZ49 ; B4DWI3 ; C0JYZ0
Molecular Weight	92kDa
NCBI Official Full Name	sortilin isoform 2
NCBI Official Synonym Full Names	sortilin 1
NCBI Official Symbol	SORT1
NCBI Official Synonym Symbols	NT3; Gp95; LDLCQ6
NCBI Protein Information	sortilin
UniProt Protein Name	Sortilin
UniProt Gene Name	SORT1
UniProt Synonym Gene Names	Gp95; NT3; NTR3
UniProt Entry Name	SORT_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/sort1-antibody-immunohistochemistry-western-blot-elisa/280543>