

Rabbit CCAR2 Polyclonal Antibody | anti-CCAR2 antibody

CCAR2 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA28085	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry, Immunofluorescence


PRODUCT SYNONYMS

CCAR2; Polyclonal Antibody; CCAR2 Polyclonal Antibody; KIAA1967; DBC1; DBC-1; NET35; p30DBC; p30 DBC; KIAA1967; anti-CCAR2 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Concentration	1mg/ml (varies by lot)
Sequence Length	923
Applicable Applications for anti-CCAR2 antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence)
Application Notes	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF: 1:50 - 1:200
Species	Human
Immunogen	Recombinant Protein
Immunogen	Recombinant protein of human CCAR2
Calculated Molecular Weight	103kDa
Preparation and Storage	Store at -20 degree C (regular) or -80 degree C (long term). Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.


IMAGES




IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse stomach using CCAR2 antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse kidney using CCAR2 antibody at dilution of 1:100 (40x lens).




IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse brain using CCAR2 antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded mouse liver using CCAR2 antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded human rectal cancer using CCAR2 antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded rat kidney using CCAR2 antibody at dilution of 1:100 (40x lens).

ADDITIONAL INFORMATION

Product Categories/Family for anti-CCAR2 antibody	Polyclonal
---	------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	85701135
-----------	----------

NCBI GeneID	57805
UniProt Accession #	Q8N163; Q6P0Q9; Q8N3G7; Q8N8M1; Q8TF34; Q9H9Q9; Q9HD12; Q9NT55; A6NL03; B2RB79; D3DSR6
Molecular Weight	923
NCBI Official Full Name	Cell cycle and apoptosis regulator protein 2
NCBI Official Synonym Full Names	cell cycle and apoptosis regulator 2
NCBI Official Symbol	CCAR2
NCBI Official Synonym Symbols	DBC1; DBC-1; NET35; p30DBC; p30 DBC; KIAA1967
NCBI Protein Information	cell cycle and apoptosis regulator protein 2; p30 DBC protein; deleted in breast cancer 1; cell division cycle and apoptosis regulator protein 2
UniProt Protein Name	Cell cycle and apoptosis regulator protein 2
UniProt Gene Name	CCAR2
UniProt Synonym Gene Names	DBC1; KIAA1967; DBC-1; DBC.1
UniProt Entry Name	CCAR2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ccar2-antibody-western-blot-immunohistochemistry-immunofluorescence-elisa/28085>