

Rabbit anti-Human, Mouse BMI1 Polyclonal Antibody | anti-BMI1 antibody

BMI1 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA281069	Rabbit	Human, Mouse	Immunofluorescence, Western Blot


PRODUCT SYNONYMS

BMI1; Polyclonal Antibody; BMI1 Polyclonal Antibody; flvi-2/bmi-1; FLVI2/BMI1; PCGF4; RNF51; anti-BMI1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Sequence	EDKRIITDDE IISLSIEFFD QNRLDRKVNK DKEKSKEEVN DKRYLRCPAA MTVMHLRKFL RSKMDIPNTF QIDVMYEEEP LKDYYTLMDI AYIYTWRNG PLPLKYRVRP TCKRMKISHQ RDGLTNAGEL ESDSGSDKAN SPAGGIPSTS SCLPSPSTPV QSPHPQFPHI SSTMNGTSNS PSGNHQSSFA NRPRKSSVNG SSATSSG
Sequence Length	469
Applicable Applications for anti-BMI1 antibody	IF (Immunofluorescence), WB (Western Blot)
Immunogen	Recombinant protein of human BMI1
Immunogen Species	Human
Storage Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Cellular Location	Cytoplasm, Nucleus
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles.

IMAGES



IF (Immunofluorescence)
Immunofluorescence analysis of HeLa cells using BMI1 antibody. Blue: DAPI for nuclear staining.



WB (Western Blot)
Western blot analysis of extracts of U-937 cells, using BMI1 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 30s.

ADDITIONAL INFORMATION

Related Product Information for anti-BMI1 antibody	This gene encodes a ring finger protein that is major component of the polycomb group complex 1 (PRC1). This complex functions through chromatin remodeling as an essential epigenetic repressor of multiple regulatory genes involved in embryonic development and self-renewal in somatic stem cells. This protein also plays a central role in DNA damage repair. This gene is an oncogene and aberrant expression is associated with numerous cancers and is associated with resistance to certain chemotherapies. A pseudogene of this gene is found on chromosome X. Read-through transcription also exists between this gene and the upstream COMM domain containing 3 (COMMD3) gene.
Product Categories/Family for anti-BMI1 antibody	Polyclonal Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	323276616
NCBI GeneID	100532731
NCBI Accession #	NP_001190991.1
NCBI GenBank Nucleotide #	NM_001204062.1
UniProt Accession #	P35226 ; Q16030 ; Q5T8Z3 ; Q96F37
Molecular Weight	Calculated: 36kDa Observed: 37kDa
NCBI Official Full Name	COMMD3-BMI1 read-through protein
NCBI Official Synonym Full Names	COMMD3-BMI1 readthrough
NCBI Official Symbol	COMMD3-BMI1
NCBI Protein Information	COMMD3-BMI1 read-through protein
UniProt Protein Name	Polycomb complex protein BMI-1
UniProt Gene Name	BMI1
UniProt Synonym Gene Names	PCGF4; RNF51

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/bmi1-antibody-immunofluorescence-western-blot-elisa/281069>