

Rabbit RAPGEF1 Polyclonal Antibody | anti-RAPGEF1 antibody

RAPGEF1 Rabbit pAb

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA281610	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

RAPGEF1; Polyclonal Antibody; RAPGEF1 Rabbit pAb; C3G; GRF2; anti-RAPGEF1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Sequence	ARGVAARPGT LHDFHSHEIA EQLTLLDAEL FYKIEIPEVL LWAKEQNEEK SPNLTQFTEH FNNMSYWVRS IIMLQEKAQD RERLLKFIK IMKHLRKLNN FNSYLAILSA LDSAPIRRLE WQKQTSEGLA EYCTLIDSSS SFRAYRAALS EVEPPCIPYL GLILQDLTFV HLGNDPYIDG KVNFSKRWQQ FNILDSMRCF QQAHYDMRRN DDIINFNDF SDHLAEEALW ELSLKIKPRN ITRRKTDRREE KT
Applicable Applications for anti-RAPGEF1 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 844-1095 of human RAPGEF1 (NP_941372.1).
Cellular Location	Early endosome
Positive Samples	Mouse liver
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of U-2 OS cells using RAPGEF1 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



IF (Immunofluorescence)

Immunofluorescence analysis of L929 cells using RAPGEF1 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



WB (Western Blot)

Western blot analysis of extracts of Mouse liver, using RAPGEF1 Rabbit pAb at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 30s.

ADDITIONAL INFORMATION

Related Product Information for anti-RAPGEF1 antibody	Background: This gene encodes a human guanine nucleotide exchange factor. It transduces signals from CRK by binding the SH3 domain of CRK, and activating several members of the Ras family of GTPases. This signaling cascade that may be involved in apoptosis, integrin-mediated signal transduction, and cell transformation. Several alternatively spliced transcript variants of this gene have been described, but the full-length nature of some variants has not been determined.
Product Categories/Family for anti-RAPGEF1 antibody	Signal Transduction; G protein signaling; Small G proteins; Research; Signal Transduction; MAPK-Erk Signaling Pathway; Research; Cell Biology & Developmental Biology; Cytoskeleton; Actins; Research; Endocrine & Metabolism; Insulin Receptor Signaling Pathw

NCBI AND UNIPROT INFORMATION

NCBI GI #	38373675
NCBI GeneID	2889
NCBI Accession #	NP_005303.2
NCBI GenBank Nucleotide #	NM_005312.2
UniProt Accession #	Q13905; Q5JUE4; Q8IV73
Molecular Weight	120,548 Da
NCBI Official Full Name	rap guanine nucleotide exchange factor 1 isoform a
NCBI Official Synonym Full Names	Rap guanine nucleotide exchange factor (GEF) 1
NCBI Official Symbol	RAPGEF1
NCBI Official Synonym Symbols	C3G; GRF2
NCBI Protein Information	rap guanine nucleotide exchange factor 1; CRK SH3-binding GNRP; guanine nucleotide-releasing factor 2 (specific for crk proto-oncogene)
UniProt Protein Name	Rap guanine nucleotide exchange factor 1
UniProt Gene Name	RAPGEF1
UniProt Synonym Gene Names	GRF2
UniProt Entry Name	RPGF1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/rapgef1-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/281610>