

Rabbit anti-wide range Ubiquitin Polyclonal Antibody | anti-UBB antibody

Ubiquitin Rabbit pAb

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA281904	Rabbit	wide range	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Ubiquitin; Polyclonal Antibody; Ubiquitin Rabbit pAb; UBB; HEL-S-50; ubiquitin B; anti-UBB antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	wide range
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-UBB antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant protein of human Ubiquitin.
Cellular Location	Cytoplasm, Nucleus
Positive Samples	NIH/3T3, U-87MG
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES





IF (Immunofluorescence)

Immunofluorescence analysis of U2OS cells using Ubiquitin Rabbit pAb at dilution of 1:50 (40x lens). Blue: DAPI for nuclear staining.



IF (Immunofluorescence)

Immunofluorescence analysis of PC-12 cells using Ubiquitin Rabbit pAb at dilution of 1:50 (40x lens). Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of NIH/3T3 cells using Ubiquitin Rabbit pAb at dilution of 1:50 (40x lens). Blue: DAPI for nuclear staining.

IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human colon using Ubiquitin Rabbit pAb at dilution of 1:100 (40x lens).



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using Ubiquitin antibody at 1:1000 dilution. NIH/3T3 cells were treated by MG132 (50 uM) at 37°C for 90 minutes. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 180s.

ADDITIONAL INFORMATION

Related Product Information for anti-UBB antibody

Background: This gene encodes ubiquitin, one of the most conserved proteins known. Ubiquitin has a major role in targeting cellular proteins for degradation by the 26S proteasome. It is also involved in the maintenance of chromatin structure, the regulation of gene expression, and the stress response. Ubiquitin is synthesized as a precursor protein consisting of either polyubiquitin chains or a single ubiquitin moiety fused to an unrelated protein. This gene consists of three direct repeats of the ubiquitin coding sequence with no spacer sequence. Consequently, the protein is expressed as a polyubiquitin precursor with a final amino acid after the last repeat. An aberrant form of this protein has been detected in patients with Alzheimer's disease and Down syndrome. Pseudogenes of this gene are located on chromosomes 1, 2, 13, and 17. Alternative splicing results in multiple transcript variants.

Product Categories/Family for anti-UBB antibody

Cell Biology & Developmental Biology; Apoptosis; Mitochondrial Control of Apoptosis; Research; Cell Biology & Developmental Biology; Ubiquitin; Ubiquitin-Proteasome Signaling Pathway; Research; Neuroscience; Neurodegenerative Diseases; Amyloid Plaque and

NCBI AND UNIPROT INFORMATION

NCBI GI #	302595875
NCBI GeneID	7314
UniProt Accession #	P0CG47; P02248; P02249; P02250; P62988; Q29120; Q6LBL4; Q6LDU5; Q8WYN8; Q91887; Q91888; Q9BWD6
Molecular Weight	229
NCBI Official Full Name	Polyubiquitin-B

NCBI Official Synonym Full Names	ubiquitin B
NCBI Official Symbol	UBB
NCBI Protein Information	polyubiquitin-B; polyubiquitin B
UniProt Protein Name	Polyubiquitin-B
UniProt Gene Name	UBB
UniProt Entry Name	UBB_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ubiquitin-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/281904>