

Rabbit anti-Human CD34 Monoclonal Antibody | anti-CD34 antibody

CD34 Rabbit mAb

CATALOG # AAA282654	HOST Rabbit	REACTIVITY Human	APPLICATIONS ELISA, Immunohistochemistry, Western Blot
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

CD34; Monoclonal Antibody; CD34 Rabbit mAb; CD34 molecule; GIG3; MORT1; anti-CD34 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.
Sequence	YSQKTLIALV TSGALLAVLG ITGYFLMNRR SWSPTGERLG EDPYYTENG GQGYSSGPGT SPEAQGKASV NRGAQENG TG QATSRNGHSA RQHVVADTEL
Applicable Applications for anti-CD34 antibody	ELISA, IHC (Immunohistochemistry), WB (Western Blot)
Cross Reactivity	Human, Mouse, Rat
Immunogen	A synthetic peptide corresponding to a sequence within amino acids 286-385 of human CD34 (P28906).
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry analysis of paraffin-embedded Human tonsil using CD34 Rabbit mAb (AAA282654) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M Tris/EDTA Buffer (pH 9.0) prior to IHC staining.




IHC (Immunohistochemistry)

Immunohistochemistry analysis of paraffin-embedded Human lung cancer using CD34 Rabbit mAb (AAA282654) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M Tris/EDTA Buffer (pH 9.0) prior to IHC staining.




IHC (Immunohistochemistry)

Immunohistochemistry analysis of paraffin-embedded Human kidney using CD34 Rabbit mAb (AAA282654) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M Tris/EDTA Buffer (pH 9.0) prior to IHC staining.



IHC (Immunohistochemistry)

Immunohistochemistry analysis of paraffin-embedded Human colon carcinoma using CD34 Rabbit mAb (AAA282654) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M Tris/EDTA Buffer (pH 9.0) prior to IHC staining.



WB (Western Blot)

Western blot analysis of various lysates using CD34 Rabbit mAb (AAA282654) at 1:500 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 3min.

ADDITIONAL INFORMATION

Related Product Information for anti-CD34 antibody	The protein encoded by this gene may play a role in the attachment of stem cells to the bone marrow extracellular matrix or to stromal cells. This single-pass membrane protein is highly glycosylated and phosphorylated by protein kinase C. Two transcript variants encoding different isoforms have been found for this gene.
Product Categories/Family for anti-CD34 antibody	Cancer ; Tumor biomarkers ; Cell Biology Developmental Biology ; Immunology Inflammation ; CDs ; Neuroscience ; Cell Type Marker ; Stem Cells ; Hematopoietic Progenitors ; Mesenchymal Stem Cells ; Cardiovascular ; Heart ; Cardiogenesis ; Neuron marker ; Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	264769
NCBI GeneID	947
UniProt Accession #	P28906 ; Q15970 ; Q15971 ; Q5JTA3 ; Q5JTA4 ; Q9UJB1 ; A8K664
Molecular Weight	Calculated MW: 41kDa Observed MW: 120kDa
UniProt Protein Name	Hematopoietic progenitor cell antigen CD34
UniProt Gene Name	CD34
UniProt Entry Name	CD34_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/cd34-antibody-immunohistochemistry-western-blot-elisa/282654>