

Rabbit anti-Human EBI3 Monoclonal Antibody | anti-EBI3 antibody

EBI3 Rabbit mAb

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA282762	Rabbit	Human	ELISA, Immunocytochemistry, Immunofluorescence, Western Blot


PRODUCT SYNONYMS

EBI3; Monoclonal Antibody; EBI3 Rabbit mAb; IL27B; IL35B; IL-27B; anti-EBI3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.
Sequence	DPPEGVRLSP LAERQLQVQW EPPGSWPFPE IFSLKYWIRY KRQGAARFHR VGPIEATSEI LRAVRPRARY YVQVAAQDLT DYGEISDWSL PATATMSLGK
Applicable Applications for anti-EBI3 antibody	ELISA, ICC (Immunocytochemistry), IF (Immunofluorescence), WB (Western Blot)
Cross Reactivity	Human, Mouse, Rat
Immunogen	A synthetic peptide corresponding to a sequence within amino acids 130-229 of human EBI3 (Q14213).
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of paraffin-embedded mouse spleen using EBI3 Rabbit mAb (AAA282762) at dilution of 1:100 (40x lens). Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of paraffin-embedded human spleen using EBI3 Rabbit mAb (AAA282762) at dilution of 1:100 (40x lens). Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of paraffin-embedded rat spleen using EBI3 Rabbit mAb (AAA282762) at dilution of 1:100 (40x lens). Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.



WB (Western Blot)

Western blot analysis of various lysates using EBI3 Rabbit mAb (AAA282762) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 90s.



WB (Western Blot)

Western blot analysis of lysates from MCF7 cells, using EBI3 Rabbit mAb (AAA282762) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 10s.

ADDITIONAL INFORMATION

Related Product Information for anti-EBI3 antibody

This gene was identified by its induced expression in B lymphocytes in response Epstein-Barr virus infection. It encodes a secreted glycoprotein belonging to the hematopoietin receptor family, and heterodimerizes with a 28 kDa protein to form interleukin 27 (IL-27). IL-27 regulates T cell and inflammatory responses, in part by activating the Jak/STAT pathway of CD4+ T cells.

Product Categories/Family for anti-EBI3 antibody

Immunology Inflammation; Cytokines; Interleukins; Cell Intrinsic Innate Immunity Signaling Pathway; Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	14577917
NCBI GeneID	10148
NCBI Accession #	NP_005746.2
NCBI GenBank Nucleotide #	NM_005755.2
UniProt Accession #	Q14213; O75269; A0N0N2
Molecular Weight	Calculated MW: 25kDa Observed MW: 31kDa

UniProt Protein Name	Interleukin-27 subunit beta
UniProt Gene Name	EBI3
UniProt Synonym Gene Names	IL27B; IL-27 subunit beta; IL-27B; EBV-induced gene 3 protein
UniProt Entry Name	IL27B_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/ebi3-antibody-immunocytochemistry-immunofluorescence-western-blot-elisa/282762>