

Rabbit IRS1 Polyclonal Antibody | anti-IRS1 antibody

IRS1 Rabbit pAb

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA28342	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry, Immunofluorescence


PRODUCT SYNONYMS

IRS1; Polyclonal Antibody; IRS1 Rabbit pAb; HIRS-1; anti-IRS1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Applicable Applications for anti-IRS1 antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence)
Application Notes	WB: 1:500-1:2000 IHC: 1:50-1:100 IF: 1:50-1:100 Customer Validation: WB: Mouse IF: Mouse
Immunogen	Recombinant protein of human IRS1.
Positive Samples	293T, Mouse liver, Rat liver
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat heart using IRS1 Rabbit pAb at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat brain using IRS1 Rabbit pAb at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse spinal cord using IRS1 Rabbit pAb at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human lung cancer using IRS1 Rabbit pAb at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



WB (Western Blot)

Western blot analysis of extracts of 293T cells, using IRS1 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 90s.



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using IRS1 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 1s.

ADDITIONAL INFORMATION

Related Product Information for anti-IRS1 antibody	Background: This gene encodes a protein which is phosphorylated by insulin receptor tyrosine kinase. Mutations in this gene are associated with type II diabetes and susceptibility to insulin resistance.
Product Categories/Family for anti-IRS1 antibody	Epigenetics & Nuclear Signaling ; Translation Control ; Regulation of eIF4 and p70 S6 Kinase ; Research ; Protein phosphorylation ; Research ; Signal Transduction ; mTOR Signaling Pathway ; Research ; Signal Transduction ; MAPK-Erk Signaling Pathway ; Research ; Sign

NCBI AND UNIPROT INFORMATION

NCBI GI #	5031805
NCBI GeneID	3667
NCBI Accession #	NP_005535.1
NCBI GenBank Nucleotide #	NM_005544.2
UniProt Accession #	P35568
Molecular Weight	131,591 Da
NCBI Official Full Name	insulin receptor substrate 1
NCBI Official Synonym Full Names	insulin receptor substrate 1

NCBI Official Symbol	IRS1
NCBI Official Synonym Symbols	HIRS-1
NCBI Protein Information	insulin receptor substrate 1; IRS-1
UniProt Protein Name	Insulin receptor substrate 1
UniProt Gene Name	IRS1
UniProt Synonym Gene Names	IRS-1
UniProt Entry Name	IRS1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/irs1-antibody-western-blot-immunohistochemistry-immunofluorescence-elisa/28342>