

Rabbit JAK1 Polyclonal Antibody | anti-JAK1 antibody

[KO Validated] JAK1 Rabbit pAb

CATALOG # AAA28369	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot, Immunofluorescence
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

JAK1; Polyclonal Antibody; [KO Validated] JAK1 Rabbit pAb; JAK1A; JAK1B; JTK3; anti-JAK1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.05% proclin300,50% glycerol,pH7.3.
Applicable Applications for anti-JAK1 antibody	WB (Western Blot), IF (Immunofluorescence)
Application Notes	WB: 1:500-1:2000 IF: 1:50-1:200
Immunogen	Recombinant protein of human JAK1.
Cellular Location	Endomembrane system, Peripheral membrane protein
Positive Samples	PC-12, HepG2, Mouse lung
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of U2OS cells using [KO Validated] JAK1 Rabbit pAb at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of PC-12 cells using [KO Validated] JAK1 Rabbit pAb at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of NIH/3T3 cells using [KO Validated] JAK1 Rabbit pAb at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




WB (Western Blot)

Western blot analysis of extracts of Mouse lung, using JAK1 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 180s.



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using JAK1 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 10s.



WB (Western Blot)

Western blot analysis of extracts from normal (control) and JAK1 knockout (KO) HeLa cells, using JAK1 antibody at 1:500 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021). Exposure time: 30s.

ADDITIONAL INFORMATION

Related Product Information for anti-JAK1 antibody

Background: This gene encodes a membrane protein that is a member of a class of protein-tyrosine kinases (PTK) characterized by the presence of a second phosphotransferase-related domain immediately N-terminal to the PTK domain. The encoded kinase phosphorylates STAT proteins (signal transducers and activators of transcription) and plays a key role in interferon-alpha/beta and interferon-gamma signal transduction. Alternative splicing results in multiple transcript variants.

Product Categories/Family for anti-JAK1 antibody

Protein phosphorylation; Research; Signal Transduction; Kinase; Tyrosine kinases; Research; Signal Transduction; ErbB-HER Signaling Pathway; Research; Cell Biology & Developmental Biology; Apoptosis; Inhibition of Apoptosis; Research; Immunology & Inflamm

NCBI AND UNIPROT INFORMATION

NCBI GI #	102469034
NCBI GeneID	3716
NCBI Accession #	NP_002218.2
NCBI GenBank Nucleotide #	NM_002227.2
UniProt Accession #	P23458; Q59GQ2; Q9UD26
Molecular Weight	133,277 Da

NCBI Official Full Name	tyrosine-protein kinase JAK1
NCBI Official Synonym Full Names	Janus kinase 1
NCBI Official Symbol	JAK1
NCBI Official Synonym Symbols	JTK3; JAK1A; JAK1B
NCBI Protein Information	tyrosine-protein kinase JAK1
UniProt Protein Name	Tyrosine-protein kinase JAK1
UniProt Gene Name	JAK1
UniProt Synonym Gene Names	JAK1A; JAK1B; JAK-1
UniProt Entry Name	JAK1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/jak1-antibody-western-blot-immunofluorescence-elisa/28369>