

Rabbit anti-Human, mouse TAF5 Polyclonal Antibody | anti-TAF5 antibody

TAF5 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA283727	Rabbit	Human, mouse	Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

TAF5; Polyclonal Antibody; TAF5 Antibody; Transcription initiation factor TFIID subunit 5; Transcription initiation factor TFIID 100 kDa subunit; TAF(II)100; TAFII-100; TAFII100; TAF2D; anti-TAF5 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, mouse
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Rabbit IgG in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Sequence Positions	402-429
Sequence Length	800
Applicable Applications for anti-TAF5 antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry analysis of paraffin-embedded human liver carcinoma tissue using TAF5 antibody.



WB (Western Blot)

Western blot analysis of lysates from HeLa, MCF-7 cell line (from left to right), using TAF5 Antibody (AAA283727). AAA283727 was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L (HRP) at 1:5000 dilution was used as the secondary antibody. Lysates at 35ug per lane.

ADDITIONAL INFORMATION

Related Product Information for anti-TAF5 antibody	TAFs are components of the transcription factor IID (TFIID) complex, PCAF histone acetylase complex and TBP-free TAFII complex (TFTC). TAFs components-TIIFD are essential for mediating regulation of RNA polymerase transcription. TAF5/TAFII100 interacts strongly with the histone H4-related TAF6/TAFII80 and the histone H3-related TAF9/TAFII31, as well as a stable complex comprised of both TAF5/TAFII80 and TAF6/TAFII31. Apparently weaker interactions of TAF5/TAFII100 with TBP, TAF1/TAFII250, TAF11/TAFII28, and TAF12/TAFII20, but not TAF7/TAFII55, also have been observed.
References	Dubrovskaya V.,et al.EMBO J. 15:3702-3712(1996). Tanese N.,et al.Proc. Natl. Acad. Sci. U.S.A. 93:13611-13616(1996). Tao Y.,et al.J. Biol. Chem. 272:6714-6721(1997). Ota T.,et al.Nat. Genet. 36:40-45(2004). Totoki Y.,et al.Submitted (APR-2005) to the EMBL/GenBank/DDBJ databases.

NCBI AND UNIPROT INFORMATION

NCBI GI #	21071067
NCBI GeneID	6877
NCBI Accession #	NP_008882.2
NCBI GenBank Nucleotide #	NM_006951.3
UniProt Accession #	Q15542; Q53EM4; Q5SYD5; Q86UZ7; Q9Y4K5; A8K5B4; B2RMR0; B7ZKJ6
Molecular Weight	86830
NCBI Official Full Name	transcription initiation factor TFIID subunit 5
NCBI Official Synonym Full Names	TAF5 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 100kDa
NCBI Official Symbol	TAF5
NCBI Official Synonym Symbols	TAF2D; TAFII100
NCBI Protein Information	transcription initiation factor TFIID subunit 5
UniProt Protein Name	Transcription initiation factor TFIID subunit 5
UniProt Gene Name	TAF5
UniProt Synonym Gene Names	TAF2D; TAF(II)100; TAFII-100; TAFII100
UniProt Entry Name	TAF5_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/taf5-antibody-immunohistochemistry-western-blot-elisa/283727>