

Rabbit PHF20 Polyclonal Antibody | anti-PHF20 antibody

PHF20 Antibody (N-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA283959	Rabbit	Human (Predicted Reactivity: Mouse)	Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

PHF20; Polyclonal Antibody; PHF20 Antibody (N-term); PHD finger protein 20; Glioma-expressed antigen 2; Hepatocellular carcinoma-associated antigen 58; Novel zinc finger protein; Transcription factor TZP; C20orf104; GLEA2; HCA58; NZF; TZP; anti-PHF20 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human (Predicted Reactivity: Mouse)
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This PHF20 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 123-151 amino acids from the N-terminal region of human PHF20.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	123-151
Sequence Length	1012
Applicable Applications for anti-PHF20 antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohiostchemistry)
PHF20 Antibody (N-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of PHF20 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
PHF20 Antibody (N-term) western blot analysis in Y79 cell line lysates (35ug/lane).This demonstrates the PHF20 antibody detected the PHF20 protein (arrow).

ADDITIONAL INFORMATION

Related Product Information for anti-PHF20 antibody	PHF20 is possible a transcription factor.
References	Bankovic, J., et al. Lung Cancer 67(2):151-159(2010) Heisel, S.M., et al. PLoS ONE 3 (5), E2164 (2008) : Olsen, J.V., et al. Cell 127(3):635-648(2006) Pallasch, C.P., et al. Int. J. Cancer 117(3):456-459(2005) Dou, Y., et al. Cell 121(6):873-885(2005)

NCBI AND UNIPROT INFORMATION

NCBI GI #	18034775
NCBI GeneID	51230
NCBI Accession #	NP_057520.2
NCBI GenBank Nucleotide #	NM_016436.4
UniProt Accession #	Q9BVI0; Q566Q2; Q5JWY9; Q66K49; Q9BWV4; Q9BXA3; Q9BZW3; Q9H421; Q9H4J6; A7E235; B2RB56; E1P5S3
Molecular Weight	115386
NCBI Official Full Name	PHD finger protein 20
NCBI Official Synonym Full Names	PHD finger protein 20
NCBI Official Symbol	PHF20
NCBI Official Synonym Symbols	NZF; TZP; GLEA2; HCA58; TDRD20A; C20orf104
NCBI Protein Information	PHD finger protein 20
UniProt Protein Name	PHD finger protein 20
UniProt Gene Name	PHF20
UniProt Synonym Gene Names	C20orf104; GLEA2; HCA58; NZF; TZP
UniProt Entry Name	PHF20_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/phf20-antibody-immunohistochemistry-western-blot-elisa/283959>