

Rabbit anti-Human GOG8A Polyclonal Antibody | anti-GOLGA8A antibody

GOG8A Antibody (N-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA283985	Rabbit	Human	Immunofluorescence, Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

GOG8A; Polyclonal Antibody; GOG8A Antibody (N-term); Golgin subfamily A member 8A; 88 kDa Golgi matrix protein; GM88; GM88 autoantigen; GOLGA8A; anti-GOLGA8A antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This GOG8A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 129-157 amino acids from the N-terminal region of human GOG8A.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	129-157
Sequence Length	603
Applicable Applications for anti-GOLGA8A antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES



IF (Immunofluorescence)
Confocal immunofluorescent analysis of GOG8A Antibody (N-term) with 293 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).



IHC (Immunohiostchemistry)
GOG8A Antibody (N-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of GOG8A Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
GOG8A Antibody (N-term) western blot analysis in 293 cell line lysates (35ug/lane).This demonstrates the GOG8A antibody detected the GOG8A protein (arrow).

NCBI AND UNIPROT INFORMATION

NCBI GI #	31083099
NCBI GeneID	23015
NCBI Accession #	NP_851422.1
NCBI GenBank Nucleotide #	NM_181077.3
UniProt Accession #	A7E2F4; O94937; Q52M46; Q68DK6; Q9NZG8; Q9NZW0; Q9NZW3; A7MCY9; B7ZMK5
Molecular Weight	70117
NCBI Official Full Name	golgin subfamily A member 8A
NCBI Official Synonym Full Names	golgin A8 family, member A
NCBI Official Symbol	GOLGA8A
NCBI Official Synonym Symbols	GM88
NCBI Protein Information	golgin subfamily A member 8A
UniProt Protein Name	Golgin subfamily A member 8A
UniProt Gene Name	GOLGA8A

UniProt Synonym Gene Names	KIAA0855; GM88
UniProt Entry Name	GOG8A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/gog8a-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/283985>