

Rabbit anti-Human FSTL3 Polyclonal Antibody | anti-FSTL3 antibody

FSTL3 Antibody (C-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA284391	Rabbit	Human	Immunohistochemistry, ELISA, Western Blot

PRODUCT SYNONYMS

FSTL3; Polyclonal Antibody; FSTL3 Antibody (C-term); Follistatin-related protein 3; Follistatin-like protein 3; Follistatin-related gene protein; FLRG; anti-FSTL3 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This FSTL3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 229-258 amino acids from the C-terminal region of human FSTL3.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	229-258
Sequence Length	237
Applicable Applications for anti-FSTL3 antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohiostchemistry)
FSTL3 Antibody (C-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human testis tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of FSTL3 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
FSTL3 Antibody (C-term) western blot analysis in CEM cell line lysates (35ug/lane).This demonstrates the FSTL3 antibody detected the FSTL3 protein (arrow).

ADDITIONAL INFORMATION

Related Product Information for anti-FSTL3 antibody	Follistatin-like 3 is a secreted glycoprotein of the follistatin-module-protein family. It may have a role in leukemogenesis.
Product Categories/Family for anti-FSTL3 antibody	Signal Transduction
References	Miron, P., et al. Prenat. Diagn. 30(3):224-228(2010) Thadhani, R., et al. Diabetes Care 33(3):664-669(2010) Bloise, E., et al. BMC Cancer 9, 320 (2009) : Stamler, R., et al. J. Biol. Chem. 283(47):32831-32838(2008) Lara-Pezzi, E., et al. Endocrinology 149(11):5822-5827(2008)

NCBI AND UNIPROT INFORMATION

NCBI GI #	5031701
NCBI GeneID	10272
NCBI Accession #	NP_005851.1
NCBI GenBank Nucleotide #	NM_005860.2
UniProt Accession #	O95633; A8K7E3
Molecular Weight	27663
NCBI Official Full Name	follistatin-related protein 3
NCBI Official Synonym Full Names	follistatin-like 3 (secreted glycoprotein)
NCBI Official Symbol	FSTL3
NCBI Official Synonym Symbols	FLRG; FSRP
NCBI Protein Information	follistatin-related protein 3
UniProt Protein Name	Follistatin-related protein 3
UniProt Gene Name	FSTL3
UniProt Synonym Gene Names	FLRG

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/fstl3-antibody-immunohistochemistry-western-blot-elisa/284391>