

Rabbit CAV3 Polyclonal Antibody | anti-CAV3 antibody

CAV3 Antibody (N-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA284533	Rabbit	Human (Predicted Reactivity: Bovine, Mouse, Pig, Rat)	Western Blot, Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA


PRODUCT SYNONYMS

CAV3; Polyclonal Antibody; CAV3 Antibody (N-term); Caveolin-3; M-caveolin; anti-CAV3 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human (Predicted Reactivity: Bovine, Mouse, Pig, Rat)
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This CAV3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 5-31 amino acids from the N-terminal region of human CAV3.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Positions	5-31
Sequence Length	151
Applicable Applications for anti-CAV3 antibody	WB (Western Blot), FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES



FCM/FACS (Flow Cytometry)
Flow cytometric analysis of 293 cells using CAV3 Antibody (N-term)(bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



IHC (Immunohistochemistry)
Formalin-fixed and paraffin-embedded human Skeletal muscle reacted with CAV3 Antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



WB (Western Blot)
Western blot analysis of CAV3 antibody (N-term) in 293 cell line lysates (35ug/lane). CAV3 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-CAV3 antibody	CAV3 is a caveolin family member, which functions as a component of the caveolae plasma membranes found in most cell types. Caveolin proteins are proposed to be scaffolding proteins for organizing and concentrating certain caveolin-interacting molecules. Mutations identified in its gene lead to interference with protein oligomerization or intra-cellular routing, disrupting caveolae formation and resulting in Limb-Girdle muscular dystrophy type-1C (LGMD-1C), hyperCKemia or rippling muscle disease (RMD).
Product Categories/Family for anti-CAV3 antibody	Cancer; Cardiovascular; Developmental Biology; Signal Transduction
References	Garg,V., Biochem. Biophys. Res. Commun. 385 (3), 472-477 (2009) Cai,C., Biol. Chem. 284 (23), 15894-15902 (2009)

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502589
NCBI GeneID	859
NCBI Accession #	NP_001225.1; NP_203123.1
NCBI GenBank Nucleotide #	NM_001234.4
UniProt Accession #	P56539; Q3T1A4; A8K777

Molecular Weight	17259
NCBI Official Full Name	caveolin-3
NCBI Official Synonym Full Names	caveolin 3
NCBI Official Symbol	CAV3
NCBI Official Synonym Symbols	LQT9; VIP21; LGMD1C; VIP-21
NCBI Protein Information	caveolin-3
UniProt Protein Name	Caveolin-3
UniProt Gene Name	CAV3
UniProt Entry Name	CAV3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/cav3-antibody-western-blot-flow-cytometry-immunohistochemistry-elisa/284533>