

Rabbit SKIV2L2 Polyclonal Antibody | anti-SKIV2L2 antibody

SKIV2L2 Antibody (Center)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA284879	Rabbit	Human (Predicted Reactivity: Mouse)	Flow Cytometry, Functional Assay, Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

SKIV2L2; Polyclonal Antibody; SKIV2L2 Antibody (Center); Superkiller viralicidic activity 2-like 2; ATP-dependent RNA helicase SKIV2L2; TRAMP-like complex helicase; KIAA0052; Mtr4; anti-SKIV2L2 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human (Predicted Reactivity: Mouse)
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This SKIV2L2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 237-263 amino acids from the Central region of human SKIV2L2.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	237-263
Sequence Length	1,042
Applicable Applications for anti-SKIV2L2 antibody	FCM/FACS (Flow Cytometry), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.


IMAGES



FCM/FACS (Flow Cytometry)
SKIV2L2 Antibody (Center) flow cytometry analysis of MDA-MB231 cells (bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



IHC (Immunohiostchemistry)
Formalin-fixed and paraffin-embedded human breast carcinoma reacted with SKIV2L2 Antibody (Center), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



WB (Western Blot)
Western blot analysis of SKIV2L2 Antibody (Center) in MCF-7 cell line lysates (35ug/lane). SKIV2L2 (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-SKIV2L2 antibody	SKIV2L2 may be involved in pre-mRNA splicing.
Product Categories/Family for anti-SKIV2L2 antibody	Immunology
References	Choudhary C.,et.al., Science 325:834-840(2009).

NCBI AND UNIPROT INFORMATION

NCBI GI #	193211480
NCBI GeneID	23517
NCBI Accession #	NP_056175.3
NCBI GenBank Nucleotide #	NM_015360.4
UniProt Accession #	P42285; Q2M386; Q6MZZ8; Q6P170; Q8N5R0; Q8TAG2
Molecular Weight	117805
NCBI Official Full Name	superkiller viralicidic activity 2-like 2

NCBI Official Synonym Full Names	superkiller viralicidic activity 2-like 2 (S. cerevisiae)
NCBI Official Symbol	SKIV2L2
NCBI Official Synonym Symbols	Dob1; Mtr4; fSAP118; KIAA0052
NCBI Protein Information	superkiller viralicidic activity 2-like 2
UniProt Protein Name	Superkiller viralicidic activity 2-like 2
UniProt Gene Name	SKIV2L2
UniProt Synonym Gene Names	KIAA0052; Mtr4
UniProt Entry Name	SK2L2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/skiv2l2-antibody-flow-cytometry-immunohistochemistry-western-blot-elisa/284879>