

Rabbit ZFP36L2 Polyclonal Antibody | anti-ZFP36L2 antibody

ZFP36L2 Antibody (Center)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA285151	Rabbit	Human, mouse (Predicted Reactivity: Rat, Xenopus)	ELISA, Western Blot


PRODUCT SYNONYMS

ZFP36L2; Polyclonal Antibody; ZFP36L2 Antibody (Center); Zinc finger protein 36; C3H1 type-like 2; ZFP36-like 2; Butyrate response factor 2; EGF-response factor 2; ERF-2; Protein TIS11D; BRF2; ERF2; RNF162C; TIS11D; anti-ZFP36L2 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, mouse (Predicted Reactivity: Rat, Xenopus)
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This ZFP36L2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 166-193 amino acids from the Central region of human ZFP36L2.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	166-193
Sequence Length	494
Applicable Applications for anti-ZFP36L2 antibody	ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



WB (Western Blot)
ZFP36L2 Antibody (Center) western blot analysis in mouse kidney tissue lysates (35ug/lane).This demonstrates the ZFP36L2 antibody detected the ZFP36L2 protein (arrow).



WB (Western Blot)
ZFP36L2 Antibody (Center) western blot analysis in A549 cell line lysates (35ug/lane).This demonstrates the ZFP36L2 antibody detected the ZFP36L2 protein (arrow).

ADDITIONAL INFORMATION

Related Product Information for anti-ZFP36L2 antibody	This gene is a member of the TIS11 family of early response genes. Family members are induced by various agonists such as the phorbol ester TPA and the polypeptide mitogen EGF. The encoded protein contains a distinguishing putative zinc finger domain with a repeating cys-his motif. This putative nuclear transcription factor most likely functions in regulating the response to growth factors.
Product Categories/Family for anti-ZFP36L2 antibody	Cell Biology
References	Morgan, B.R., et al. Protein Sci. 19(6):1222-1234(2010) Jackson, R.S. II, et al. Cell Cycle 5(24):2889-2893(2006) Hudson, B.P., et al. Nat. Struct. Mol. Biol. 11(3):257-264(2004) Blackshear, P.J., et al. Prog. Nucleic Acid Res. Mol. Biol. 75, 43-68 (2003) : Ino, T., et al. Oncogene 11(12):2705-2710(1995)

NCBI AND UNIPROT INFORMATION

NCBI GI #	15812178
NCBI GeneID	678
NCBI Accession #	NP_008818.3
NCBI GenBank Nucleotide #	NM_006887.4
UniProt Accession #	P47974; Q53TB4; Q9BSJ3
Molecular Weight	51063
NCBI Official Full Name	zinc finger protein 36, C3H1 type-like 2
NCBI Official Synonym Full Names	ZFP36 ring finger protein-like 2
NCBI Official Symbol	ZFP36L2
NCBI Official Synonym Symbols	BRF2; ERF2; ERF-2; TIS11D; RNF162C
NCBI Protein Information	zinc finger protein 36, C3H1 type-like 2
UniProt Protein Name	Zinc finger protein 36, C3H1 type-like 2
UniProt Gene Name	ZFP36L2

UniProt Synonym Gene Names	BRF2; ERF2; RNF162C; TIS11D; ZFP36-like 2; ERF-2
UniProt Entry Name	TISD_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/zfp36l2-antibody-western-blot-elisa/285151>