

Rabbit anti-Human ERBB4 Polyclonal Antibody | anti-ERBB4 antibody

ERBB4 Antibody (C-term)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA286387	Rabbit	Human	Immunohistochemistry, ELISA, Western Blot

PRODUCT SYNONYMS


ERBB4; Polyclonal Antibody; ERBB4 Antibody (C-term); Receptor tyrosine-protein kinase erbB-4; Proto-oncogene-like protein c-ErbB-4; Tyrosine kinase-type cell surface receptor HER4; p180erbB4; ERBB4 intracellular domain; 4ICD; E4ICD; s80HER4; HER4; anti-ERBB4 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This ERBB4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1276-1308 amino acids from the C-terminal region of human ERBB4.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Positions	1276-1308
Sequence Length	1292
Applicable Applications for anti-ERBB4 antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.



IHC (Immunohiostchemistry)
Formalin-fixed and paraffin-embedded human cancer tissue reacted with the primary antibody, which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated. BC = breast carcinoma; HC = hepatocarcinoma.



WB (Western Blot)
Western blot analysis of anti-ErbB4 Pab in T-47D cell lysate. ErbB4 (arrow) was detected using purified Pab. Secondary HRP-anti-rabbit was used for signal visualization with chemiluminescence.

ADDITIONAL INFORMATION

Related Product Information for anti-ERBB4 antibody	Protein kinases are enzymes that transfer a phosphate group from a phosphate donor, generally the g phosphate of ATP, onto an acceptor amino acid in a substrate protein. By this basic mechanism, protein kinases mediate most of the signal transduction in eukaryotic cells, regulating cellular metabolism, transcription, cell cycle progression, cytoskeletal rearrangement and cell movement, apoptosis, and differentiation. With more than 500 gene products, the protein kinase family is one of the largest families of proteins in eukaryotes. The family has been classified in 8 major groups based on sequence comparison of their tyrosine (PTK) or serine/threonine (STK) kinase catalytic domains.
Product Categories/Family for anti-ERBB4 antibody	Cancer; Signal Transduction
References	Cheng, Q.C., et al., J. Biol. Chem. 278(40):38421-38427 (2003). Komuro, A., et al., J. Biol. Chem. 278(35):33334-33341 (2003). Williams, E.E., et al., Cancer Lett. 192(1):67-74 (2003). Thomas, C.Y., et al., Int. J. Cancer 104(1):19-27 (2003). Ni, C.Y., et al., J. Biol. Chem. 278(7):4561-4565 (2003).

NCBI AND UNIPROT INFORMATION

NCBI GI #	110825958
NCBI GeneID	2066
NCBI Accession #	NP_001036064.1; NP_005226.1
NCBI GenBank Nucleotide #	NM_001042599.1
UniProt Accession #	Q15303; Q2M1W1; Q59EW4; B7ZLD7; B7ZLE2; B7ZLE3
Molecular Weight	146808
NCBI Official Full Name	receptor tyrosine-protein kinase erbB-4 isoform JM-a/CVT-2
NCBI Official Synonym Full Names	erb-b2 receptor tyrosine kinase 4
NCBI Official Symbol	ERBB4
NCBI Official Synonym Symbols	HER4; ALS19; p180erbB4
NCBI Protein Information	receptor tyrosine-protein kinase erbB-4
UniProt Protein Name	Receptor tyrosine-protein kinase erbB-4

UniProt Gene Name	ERBB4
UniProt Synonym Gene Names	HER4; 4ICD; E4ICD
UniProt Entry Name	ERBB4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/erbb4-antibody-immunohistochemistry-western-blot-elisa/286387>