

Rabbit anti-Human UBE2L6 Polyclonal Antibody | anti-UBE2L6 antibody

UBE2L6 Antibody (C-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA286524	Rabbit	Human	Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

UBE2L6; Polyclonal Antibody; UBE2L6 Antibody (C-term); Ubiquitin/ISG15-conjugating enzyme E2 L6; Retinoic acid-induced gene B protein; RIG-B; UbcH8; Ubiquitin carrier protein L6; Ubiquitin-protein ligase L6; UBCH8; anti-UBE2L6 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This UBE2L6 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 123-153 amino acids from the C-terminal region of human UBE2L6.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Positions	123-153
Sequence Length	153
Applicable Applications for anti-UBE2L6 antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohiostchemistry)
Formalin-fixed and paraffin-embedded breast carcinoma tissue reacted with UBE2L6 Antibody (C-term) , which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



WB (Western Blot)
The UBE2L6 Antibody (C-term) is used in Western blot to detect UBE2L6 in HL-60 cell lysate.

ADDITIONAL INFORMATION

Related Product Information for anti-UBE2L6 antibody	The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes (E1s), ubiquitin-conjugating enzymes (E2s) and ubiquitin-protein ligases (E3s). UBE2L6 is a member of the E2 ubiquitin-conjugating enzyme family. This enzyme is demonstrated to function in the E6/E6-ap-induced ubiquitination of p53.
Product Categories/Family for anti-UBE2L6 antibody	Cell Biology
References	Kumar, S., et al., J. Biol. Chem. 272(21):13548-13554 (1997). Ardley, H.C., et al., Cytogenet. Cell Genet. 89 (1-2), 137-140 (2000).

NCBI AND UNIPROT INFORMATION

NCBI GI #	4759282
NCBI GeneID	9246
NCBI Accession #	NP_004214.1; NP_937826.1
NCBI GenBank Nucleotide #	NM_004223.4
UniProt Accession #	O14933; Q8N5D8; Q9UEZ0; A6NDM6; A8MY53
Molecular Weight	17769
NCBI Official Full Name	ubiquitin/ISG15-conjugating enzyme E2 L6 isoform 1
NCBI Official Synonym Full Names	ubiquitin-conjugating enzyme E2L 6
NCBI Official Symbol	UBE2L6
NCBI Official Synonym Symbols	RIG-B; UBCH8
NCBI Protein Information	ubiquitin/ISG15-conjugating enzyme E2 L6
UniProt Protein Name	Ubiquitin/ISG15-conjugating enzyme E2 L6
UniProt Gene Name	UBE2L6
UniProt Synonym Gene Names	UBCH8; RIG-B
UniProt Entry Name	UB2L6_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/ube2l6-antibody-immunohistochemistry-western-blot-elisa/286524>