

Rabbit anti-Human JARID1A Polyclonal Antibody | anti-JARID1A antibody

JARID1A Antibody (C-term)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA286869	Rabbit	Human	Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

JARID1A; Polyclonal Antibody; JARID1A Antibody (C-term); anti-JARID1A antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This JARID1A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1609-1641 amino acids from the C-terminal region of human JARID1A.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.5 (varies by lot)
Sequence Positions	1609-1641
Applicable Applications for anti-JARID1A antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohiostchemistry)
JARID1A Antibody (C-term) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of JARID1A Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



WB (Western Blot)
JARID1A Antibody (C-term) western blot analysis in uterus tumor cell line lysates (35ug/lane).This demonstrates the JARID1A antibody detected the JARID1A protein (arrow).

ADDITIONAL INFORMATION

Related Product Information for anti-JARID1A antibody	The protein encoded by this gene is a ubiquitously expressed nuclear protein. It binds directly, with several other proteins, to retinoblastoma protein which regulates cell proliferation. This protein also interacts with rhombotin-2 which functions distinctly in erythropoiesis and in T-cell leukemogenesis. Rhombotin-2 is thought to either directly affect the activity of the encoded protein or may indirectly modulate the functions of the retinoblastoma protein by binding to this protein.
---	---

NCBI AND UNIPROT INFORMATION

UniProt Accession #	A8MUS2
---------------------	--------

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/jarid1a-antibody-immunohistochemistry-western-blot-elisa/286869>