

Rabbit CXCR7 Polyclonal Antibody | anti-ACKR3 antibody

CXCR7 Antibody (C-term)

CATALOG # AAA287255	HOST Rabbit	REACTIVITY Human (Predicted Reactivity: Mouse, Rat)	APPLICATIONS Western Blot, Immunohistochemistry, ELISA
-------------------------------	-----------------------	---	--

PRODUCT SYNONYMS

CXCR7; Polyclonal Antibody; CXCR7 Antibody (C-term); Atypical chemokine receptor 3; C-X-C chemokine receptor type 7; CXC-R7; CXCR-7; Chemokine orphan receptor 1; G-protein coupled receptor 159; G-protein coupled receptor RDC1 homolog; RDC-1; ACKR3; CMKOR1; GPR159; RDC1; anti-ACKR3 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human (Predicted Reactivity: Mouse, Rat)
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This CXCR7 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 330-358 amino acids from the C-terminal region of human CXCR7.
Purity/Purification	Peptide Affinity Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.
Concentration	Vial Concentration: 0.41 (varies by lot)
Sequence Positions	330-358
Sequence Length	362
Applicable Applications for anti-ACKR3 antibody	WB (Western Blot), IHC (Immunohistochemistry), ELISA
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Formalin-fixed and paraffin-embedded human testis tissue reacted with CXCR7 Antibody (C-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



WB (Western Blot)

Western blot analysis of lysate from U-251 MG cell line, using CXCR7 Antibody (C-term). AAA287255 was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L (HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug per lane.

ADDITIONAL INFORMATION

Related Product Information for anti-ACKR3 antibody	CXCR7 is a member of the G-protein coupled receptor family. Although this protein was earlier thought to be a receptor for vasoactive intestinal peptide (VIP), it is now considered to be an orphan receptor, in that its endogenous ligand has not been identified. The protein is also a coreceptor for human immunodeficiency viruses (HIV).
Product Categories/Family for anti-ACKR3 antibody	Signal Transduction; GPCR Antibodies
References	Sreedharan,S.P., et.al., Proc. Natl. Acad. Sci. U.S.A. 88 (11), 4986-4990 (1991)

NCBI AND UNIPROT INFORMATION

NCBI GI #	31083344
NCBI GeneID	57007
NCBI Accession #	NP_064707.1
NCBI GenBank Nucleotide #	NM_020311.2
UniProt Accession #	P25106; Q53RV4; Q8NE10; Q92938; Q92986; A8K6J4
Molecular Weight	41493
NCBI Official Full Name	atypical chemokine receptor 3
NCBI Official Synonym Full Names	atypical chemokine receptor 3
NCBI Official Symbol	ACKR3
NCBI Official Synonym Symbols	RDC1; CXCR7; RDC-1; CMKOR1; CXC-R7; CXCR-7; GPR159
NCBI Protein Information	atypical chemokine receptor 3
UniProt Protein Name	Atypical chemokine receptor 3
UniProt Gene Name	ACKR3
UniProt Synonym Gene Names	CMKOR1; CXCR7; GPR159; RDC1; CXC-R7; CXCR-7; RDC-1
UniProt Entry Name	ACKR3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.