

Rabbit anti-Human ATG16L Polyclonal Antibody | anti-ATG16L1 antibody

ATG16L Antibody (C-term)

CATALOG # AAA287362	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA, Western Blot
-------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS

ATG16L; Polyclonal Antibody; ATG16L Antibody (C-term); Autophagy-related protein 16-1; APG16-like 1; ATG16L1; APG16L; anti-ATG16L1 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit Ig
Specificity	This ATG16L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 454-483 amino acids from the C-terminal region of human ATG16L.
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Concentration	Vial Concentration: 2 (varies by lot)
Sequence Positions	454-483
Sequence Length	444
Applicable Applications for anti-ATG16L1 antibody	IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	Synthetic Peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Formalin-fixed and paraffin-embedded human colon carcinoma tissue reacted with Autophagy APG16L antibody (C-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



WB (Western Blot)

Western blot analysis of hAPG16L-K366 in NIH-3T3, HepG2, Hela, Jurkat and NCI-H460 cell line lysates (35ug/lane). APG16L (arrow) was detected using the purified Pab.

ADDITIONAL INFORMATION

Related Product Information for anti-ATG16L1 antibody	Macroautophagy is the major inducible pathway for the general turnover of cytoplasmic constituents in eukaryotic cells, it is also responsible for the degradation of active cytoplasmic enzymes and organelles during nutrient starvation. Macroautophagy involves the formation of double-membrane bound autophagosomes which enclose the cytoplasmic constituent targeted for degradation in a membrane bound structure, which then fuse with the lysosome (or vacuole) releasing a single-membrane bound autophagic bodies which are then degraded within the lysosome (or vacuole). The APG12-APG5-APG16L complex is essential for the elongation of autophagic isolation membranes. This complex initially associates in uniform distribution with small vesicle membranes. During membrane elongation, the complex partitions, with a great concentration building on the outer side of the isolation membrane. Upon completion of the formation of the autophagosome, the APG12-APG5-APG16L dissociates from the membrane.
Product Categories/Family for anti-ATG16L1 antibody	Cancer; Cardiovascular; Cell Biology; Metabolism; Neuroscience; Autophagy
References	Baehrecke EH. Nat Rev Mol Cell Biol. 6(6):505-10. (2005) Lum JJ, et al. Nat Rev Mol Cell Biol. 6(6):439-48. (2005) Greenberg JT. Dev Cell. 8(6):799-801. (2005) Levine B. Cell. 120(2):159-62. (2005) Shintani T and Klionsky DJ. Science. 306(5698):990-5. (2004)

NCBI AND UNIPROT INFORMATION

NCBI GI #	298229005
NCBI GeneID	55054
NCBI Accession #	NP_001177195.1; NP_001177196.1; NP_060444.3; NP_110430.5; NP_942593.2
NCBI GenBank Nucleotide #	NM_001190266.1
UniProt Accession #	Q676U5; Q6IPN1; Q6UXW4; Q6ZVZ5; Q8NCY2; Q96JV5; Q9H619; A3EXK9; A3EXL0; B6ZDH0
Molecular Weight	68265
NCBI Official Full Name	autophagy-related protein 16-1 isoform 4
NCBI Official Synonym Full Names	autophagy related 16-like 1
NCBI Official Symbol	ATG16L1
NCBI Official Synonym Symbols	IBD10; WDR30; APG16L; ATG16A; ATG16L
NCBI Protein Information	autophagy-related protein 16-1
UniProt Protein Name	Autophagy-related protein 16-1
UniProt Gene Name	ATG16L1
UniProt Synonym Gene Names	APG16L
UniProt Entry Name	A16L1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/atg16l-antibody-immunohistochemistry-western-blot-elisa/287362>