

Rabbit p90 RSK (Phospho-Thr573) Polyclonal Antibody | anti-RPS6KA1 antibody

p90 RSK (Phospho-Thr573) Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA287402	Rabbit	Human, mouse, rat	Immunofluorescence, Immunohistochemistry, ELISA, Western Blot


PRODUCT SYNONYMS

p90 RSK (Phospho-Thr573); Polyclonal Antibody; p90 RSK (Phospho-Thr573) Antibody; Ribosomal protein S6 kinase alpha-1; S6K-alpha-1; 90 kDa ribosomal protein S6 kinase 1; p90-RSK 1; p90RSK1; p90S6K; MAP kinase-activated protein kinase 1a; MAPK-activated protein kinase 1a; MAPKAP kinase 1a; MAPKAPK-1a; Ribosomal S6 kinase 1; RSK-1; RPS6KA1; MAPKAPK1A; RSK1; anti-RPS6KA1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, mouse, rat
Clonality	Polyclonal
Purity/Purification	Purified Rabbit Polyclonal Antibody (Pab)
Form/Format	Rabbit IgG in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Sequence Length	719
Applicable Applications for anti-RPS6KA1 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Antigen Type	synthetic peptide
Antigen Source	HUMAN
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 6 months. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue using p90 RSK (Phospho-Thr573) antibody.



WB (Western Blot)

Western blot analysis of extracts from 293 cells, treated with UV (30mins), using p90 RSK (Phospho-Thr573) antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-RPS6KA1 antibody	Serine/threonine-protein kinase that acts downstream of ERK (MAPK1/ERK2 and MAPK3/ERK1) signaling and mediates mitogenic and stress-induced activation of the transcription factors CREB1, ETV1/ER81 and NR4A1/NUR77, regulates translation through RPS6 and EIF4B phosphorylation, and mediates cellular proliferation, survival, and differentiation by modulating mTOR signaling and repressing pro-apoptotic function of BAD and DAPK1. In fibroblast, is required for EGF-stimulated phosphorylation of CREB1, which results in the subsequent transcriptional activation of several immediate-early genes. In response to mitogenic stimulation (EGF and PMA), phosphorylates and activates NR4A1/NUR77 and ETV1/ER81 transcription factors and the cofactor CREBBP. Upon insulin- derived signal, acts indirectly on the transcription regulation of several genes by phosphorylating GSK3B at 'Ser-9' and inhibiting its activity. Phosphorylates RPS6 in response to serum or EGF via an mTOR-independent mechanism and promotes translation initiation by facilitating assembly of the preinitiation complex. In response to insulin, phosphorylates EIF4B, enhancing EIF4B affinity for the EIF3 complex and stimulating cap-dependent translation. Is involved in the mTOR nutrient-sensing pathway by directly phosphorylating TSC2 at 'Ser-1798', which potently inhibits TSC2 ability to suppress mTOR signaling, and mediates phosphorylation of RPTOR, which regulates mTORC1 activity and may promote rapamycin-sensitive signaling independently of the PI3K/AKT pathway. Mediates cell survival by phosphorylating the pro- apoptotic proteins BAD and DAPK1 and suppressing their pro- apoptotic function. Promotes the survival of hepatic stellate cells by phosphorylating CEBPB in response to the hepatotoxin carbon tetrachloride (CCl4). Is involved in cell cycle regulation by phosphorylating the CDK inhibitor CDKN1B, which promotes CDKN1B association with 14-3-3 proteins and prevents its translocation to the nucleus and inhibition of G1 progression.
Product Categories/Family for anti-RPS6KA1 antibody	Phospho Antibodies
References	Moller D.E.,et al.Am. J. Physiol. 266:C351-C359(1994). Ota T.,et al.Nat. Genet. 36:40-45(2004). Gregory S.G.,et al.Nature 441:315-321(2006). Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases. Deak M.,et al.EMBO J. 17:4426-4441(1998).

NCBI AND UNIPROT INFORMATION

NCBI GI #	55743134
NCBI GeneID	6195
NCBI Accession #	NP_001006666.1
NCBI GenBank Nucleotide #	NM_001006665.1
UniProt Accession #	Q15418; Q5SVM5; Q5SVM8; Q5SVM9; Q96C05; Q9BQK2; A6NGG4; A8K9K7; B2RDY8; B7Z5J0; E9PRI4
Molecular Weight	82723
NCBI Official Full Name	ribosomal protein S6 kinase alpha-1 isoform b
NCBI Official Synonym Full Names	ribosomal protein S6 kinase, 90kDa, polypeptide 1
NCBI Official Symbol	RPS6KA1
NCBI Official Synonym Symbols	RSK; HU-1; RSK1; p90Rsk; MAPKAPK1A
NCBI Protein Information	ribosomal protein S6 kinase alpha-1
UniProt Protein Name	Ribosomal protein S6 kinase alpha-1
UniProt Gene Name	RPS6KA1
UniProt Synonym Gene Names	MAPKAPK1A; RSK1; S6K-alpha-1; p90-RSK 1; p90RSK1; p90S6K; MAPK-activated protein kinase 1a; MAPKAP kinase 1a; MAPKAPK-1a; RSK-1
UniProt Entry Name	KS6A1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

