

Rabbit Bad Polyclonal Antibody | anti-Bad antibody

Bad Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA28968	Rabbit	Human, Mouse, Rat	Western Blot, Immunohistochemistry, Immunofluorescence


PRODUCT SYNONYMS

Bad; Polyclonal Antibody; Bad Polyclonal Antibody; BAD; BBC6; BCL2L8; Bcl2 antagonist of cell death; Bcl-2-binding component 6; Bcl-2-like protein 8; Bcl2-L-8; Bcl-XL/Bcl-2-associated death promoter; anti-Bad antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Applicable Applications for anti-Bad antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence)
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.




IHC (Immunohistochemistry)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.





IF (Immunofluorescence)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.



IF (Immunofluorescence)

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.



Application Data

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.
Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.

Application Data

Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.
Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.

ADDITIONAL INFORMATION

Related Product Information for anti-Bad antibody

Promotes cell death. Successfully competes for the binding to Bcl-X (L), Bcl-2 and Bcl-W, thereby affecting the level of heterodimerization of these proteins with BAX. Can reverse the death repressor activity of Bcl-X (L), but not that of Bcl-2 (By similarity). Appears to act as a link between growth factor receptor signaling and the apoptotic pathways.

NCBI AND UNIPROT INFORMATION

NCBI GI #	10835069
NCBI GeneID	572
NCBI Accession #	NP_004313.1
NCBI GenBank Nucleotide #	NM_004322.3
UniProt Accession #	Q92934; O14803; Q6FH21
Molecular Weight	18,392 Da
NCBI Official Full Name	bcl2 antagonist of cell death
NCBI Official Synonym Full Names	BCL2-associated agonist of cell death
NCBI Official Symbol	BAD
NCBI Official Synonym Symbols	BBC2; BCL2L8
NCBI Protein Information	bcl2 antagonist of cell death; bcl2-L-8; BCL2-binding protein; bcl-2-like protein 8; BCL2-binding component 6; bcl-2-binding component 6; BCL-X/BCL-2 binding protein; BCL2-antagonist of cell death protein; bcl-XL/Bcl-2-associated death promoter
UniProt Protein Name	Bcl2 antagonist of cell death
UniProt Gene Name	BAD
UniProt Synonym Gene Names	BBC6; BCL2L8; BAD; Bcl2-L-8
UniProt Entry Name	BAD_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/bad-antibody-western-blot-immunohistochemistry-immunofluorescence-elisa/28968>